



## MAC OS X KEYMAP

### Editing

<b>^ Space</b>	Basic code completion (the name of any class, method or variable)
<b>^⇧ Space</b>	Smart code completion (filters the list of methods and variables by expected type)
<b>⌘⇧↵</b>	Complete statement
<b>⌘P</b>	Parameter info (within method call arguments)
<b>^J, Mid. button click</b>	Quick documentation lookup
<b>⇧F1</b>	External Doc
<b>⌘+ mouse over code</b>	Brief Info
<b>⌘F1</b>	Show descriptions of error or warning at caret
<b>⌘N, ^↵, ^N</b>	Generate code... (Getters, Setters, Constructors, hashCode/equals, toString)
<b>^O</b>	Override methods
<b>^I</b>	Implement methods
<b>⌘⇧T</b>	Surround with... (if..else, try..catch, for, synchronized, etc.)
<b>⌘/</b>	Comment/uncomment with line comment
<b>⌘⇧/</b>	Comment/uncomment with block comment
<b>⇧↑</b>	Select successively increasing code blocks
<b>⇧↓</b>	Decrease current selection to previous state
<b>^⇧Q</b>	Context info
<b>⇧↵</b>	Show intention actions and quick-fixes
<b>⌘⇧L</b>	Reformat code
<b>^⇧O</b>	Optimize imports
<b>^⇧I</b>	Auto-indent line(s)
<b>⇧⏎ / ⇧⇧</b>	Indent/unindent selected lines
<b>⌘X</b>	Cut current line or selected block to clipboard
<b>⌘C</b>	Copy current line or selected block to clipboard
<b>⌘V</b>	Paste from clipboard
<b>⌘⇧V</b>	Paste from recent buffers...
<b>⌘D</b>	Duplicate current line or selected block
<b>⌘⌫</b>	Delete line at caret
<b>^⇧J</b>	Smart line join
<b>⌘↵</b>	Smart line split
<b>⇧↵</b>	Start new line
<b>⌘⇧U</b>	Toggle case for word at caret or selected block
<b>⌘⇧J / ⌘⇧[</b>	Select till code block end/start
<b>⇧⌫ / ⇧⌫</b>	Delete to word end/start
<b>⌘+ / ⌘-</b>	Expand/collapse code block
<b>⌘⇧+ / ⌘⇧-</b>	Expand all/Collapse all
<b>⌘W</b>	Close active editor tab

### Usage Search

<b>⇧F7 / ⌘F7</b>	Find usages / Find usages in file
<b>⌘⇧F7</b>	Highlight usages in file
<b>⌘⇧F7</b>	Show usages

### Navigation

<b>⌘O</b>	Go to class
<b>⌘⇧O</b>	Go to file
<b>⌘⇧O</b>	Go to symbol
<b>^← / ^→</b>	Go to next/previous editor tab
<b>F12</b>	Go back to previous tool window
<b>⌘</b>	Go to editor (from tool window)
<b>⇧⌘</b>	Hide active or last active window
<b>⌘⇧F4</b>	Close active run/messages/find/... tab
<b>⌘L</b>	Go to line
<b>⌘E</b>	Recent files popup
<b>⌘⇧← / ⌘⇧→</b>	Navigate back/forward
<b>⌘⇧⌫</b>	Navigate to last edit location
<b>⇧F1</b>	Select current file or symbol in any view
<b>⌘B, ⌘Click</b>	Go to declaration
<b>⌘⇧B</b>	Go to implementation(s)
<b>⇧Space, ⌘Y</b>	Open quick definition lookup
<b>^⇧B</b>	Go to type declaration
<b>⌘U</b>	Go to super-method/super-class
<b>^↑ / ^↓</b>	Go to previous/next method
<b>⌘J / ⌘[</b>	Move to code block end/start
<b>⌘F12</b>	File structure popup
<b>^H</b>	Type hierarchy
<b>⌘⇧H</b>	Method hierarchy
<b>^⇧H</b>	Call hierarchy
<b>F2 / ⇧F2</b>	Next/previous highlighted error
<b>F4 / ⌘↓</b>	Edit source / View source
<b>⇧Home</b>	Show navigation bar
<b>F3</b>	Toggle bookmark
<b>⇧F3</b>	Toggle bookmark with mnemonic
<b>^O ... ^9</b>	Go to numbered bookmark
<b>⌘F3</b>	Show bookmarks

### Search/Replace

<b>Double ⇧</b>	Search everywhere
<b>⌘F</b>	Find
<b>⌘G</b>	Find next
<b>⌘⇧G</b>	Find previous
<b>⌘R</b>	Replace
<b>⌘⇧F</b>	Find in path
<b>⌘⇧R</b>	Replace in path
<b>⌘⇧S</b>	Search structurally (Ultimate Edition only)
<b>⌘⇧M</b>	Replace structurally (Ultimate Edition only)

### Live Templates

<b>⌘⇧J</b>	Surround with Live Template
<b>⌘J</b>	Insert Live Template

### VCS/Local History

<b>⌘K</b>	Commit project to VCS
<b>⌘T</b>	Update project from VCS
<b>⇧⇧C</b>	View recent changes
<b>^V</b>	'VCS' quick popup

### Refactoring

<b>F5</b>	Copy
<b>F6</b>	Move
<b>⌘Delete</b>	Safe Delete
<b>⇧F6</b>	Rename
<b>⌘F6</b>	Change Signature
<b>⌘⇧N</b>	Inline
<b>⌘⇧M</b>	Extract Method
<b>⌘⇧V</b>	Extract Variable
<b>⌘⇧F</b>	Extract Field
<b>⌘⇧C</b>	Extract Constant
<b>⌘⇧P</b>	Extract Parameter

### Debugging

<b>F8</b>	Step over
<b>F7</b>	Step into
<b>⇧F7</b>	Smart step into
<b>⇧F8</b>	Step out
<b>⇧F9</b>	Run to cursor
<b>⇧F8</b>	Evaluate expression
<b>⌘⇧R</b>	Resume program
<b>⌘F8</b>	Toggle breakpoint
<b>⌘⇧F8</b>	View breakpoints

### Compile and Run

<b>⌘F9</b>	Make project (compile modified and dependent)
<b>⌘⇧F9</b>	Compile selected file, package or module
<b>^⇧R</b>	Select configuration and run
<b>^⇧D</b>	Select configuration and debug
<b>^R</b>	Run
<b>^D</b>	Debug
<b>^⇧R, ^⇧D</b>	Run context configuration from editor

### General

<b>⌘O ... ⌘9</b>	Open corresponding tool window
<b>⌘S</b>	Save all
<b>⌘⇧Y</b>	Synchronize
<b>^⌘F</b>	Toggle full screen mode
<b>⌘⇧F12</b>	Toggle maximizing editor
<b>⇧⇧F</b>	Add to Favorites
<b>⇧⇧I</b>	Inspect current file with current profile
<b>^S, ^`</b>	Quick switch current scheme
<b>⌘,</b>	Open Settings dialog
<b>⌘;</b>	Open Project Structure dialog
<b>⌘⇧A</b>	Find Action
<b>^⇧</b>	Switch between tabs and tool window



jetbrains.com/idea



blog.jetbrains.com/idea



@intellijidea