

Pascal 3.1

Documentation Guide and Master Index

for HP 9000 Series 200/300 Computers

Manual Reorder No. 98615-90016

© Copyright 1985, Hewlett-Packard Company.

This document contains proprietary information which is protected by copyright. All rights are reserved. No part of this document may be photocopied, reproduced or translated to another language without the prior written consent of Hewlett-Packard Company. The information contained in this document is subject to change without notice.


Use of this manual and flexible disc(s) or tape cartridge(s) supplied for this pack is restricted to this product only. Additional copies of the programs can be made for security and back-up purposes only. Resale of the programs in their present form or with alterations, is expressly prohibited.

Restricted Rights Legend

Use, duplication, or disclosure by the Government is subject to restrictions as set forth in paragraph (b)(3)(B) of the Rights in Technical Data and Software clause in DAR 7-104.9(a).

Hewlett-Packard Company

3404 East Harmony Road, Fort Collins, Colorado 80525



Printing History

New editions of this manual will incorporate all material updated since the previous edition. Update packages may be issued between editions and contain replacement and additional pages to be merged into the manual by the user. Each updated page will be indicated by a revision date at the bottom of the page. A vertical bar in the margin indicates the changes on each page. Note that pages which are rearranged due to changes on a previous page are not considered revised.

The manual printing date and part number indicate its current edition. The printing date changes when a new edition is printed. (Minor corrections and updates which are incorporated at reprint do not cause the date to change.) The manual part number changes when extensive technical changes are incorporated.

July 1985...Edition 1

Pascal 3.1 Documentation Guide

Introduction

This guide takes you on “sight-seeing tours” of the Pascal 3.1 manuals. Here is what it contains:

- A list of the manuals in this set.
- A “sight-seeing tour” of each manual.
- A look at the Master Index.

Pascal 3.1 Manuals

Here are the manuals provided with the Pascal 3.1 Workstation system:

- *Pascal 3.1 User's Guide*
- *An Introduction to Programming and Problem Solving with Pascal*
- *Pascal 3.1 Workstation System* (two volumes)
 - *Volume I: Main Command Level and Subsystems*
 - *Volume II: Programming and Configuration Topics*
- *Pascal 3.1 Procedure Library*
- *Pascal 3.1 Graphics Techniques*
- *HP Pascal Language Reference*
- *MC68000 User's Manual*
- *MC68020 User's Manual* (you may not receive this manual with your system)
- *MC68881 User's Manual* (you may not receive this manual with your system)

Note

The product number for Pascal 3.1 is the HP 98615C. The product number for Pascal 3.0 is the HP 98615B. You can order the HP 98615E (“Right to Execute”) or HP 98615R (“Right to Reproduce”) products for either system, with which you will receive an additional copy of the Pascal manuals. Since the product numbers provide no indication of whether you have a 3.0 or a 3.1 system, the Pascal 3.1 manuals are shipped with both of these ‘E’ or ‘R’ products. (These 3.1 manuals are a superset of the 3.0 manuals, so you will not lose any 3.0 information.) For a list of the enhancements provided by the 3.1 system, see “System History” in the “Technical Reference” appendix of the *Pascal 3.1 Workstation System* manual (Volume I).

Individual Manual “Tours”

The following paragraphs describe the purpose and contents of each manual.

Note

You are highly encouraged to pick up and leaf through each manual as you read through its description. This exercise will help you to quickly familiarize yourself with their content and organization.

Installation Guide (for your model of computer)

An installation manual is shipped with your computer (*not* with the Pascal System). It describes the tasks of setting up the computer and then attaching the keyboard and monitor. It also describes how you can verify that your computer is operating properly. However, the tasks of installing and verifying peripheral devices, such as disc drives and printers, is described in the following manual.

Series 200/300 Peripheral Installation Guide

This manual describes the tasks of configuring and installing peripherals that you can use with your Series 200/300 computer. Here are some peripherals included:

- Memory and interface cards.
- Discs.
- Printers.
- Plotters and other graphics devices.

The manual also covers the task of configuring the Pascal system software to “talk to” these devices (such as hardware switch settings and device drivers required).

Pascal 3.1 User’s Guide

This guide begins where the *Peripheral Installation Guide* left off. It describes how to load the Pascal System and get it “up and running.” It also takes you on a “tour” of the system and its subsystems, as well as shows you how to enter and run a short Pascal program. This manual is also a task-oriented manual.

- Chapter 1 discusses a “little-known secret to success.” (If you don’t read the chapter, it will be still “little-known.”)
- Chapter 2 shows you how to load the Pascal system.
- Chapter 3 shows you how to prepare blank discs for use and how to make back-up copies of the system discs.
- Chapter 4 describes using the keyboard and display. You need only read the section that describes your computer’s keyboard.
- Chapter 5 shows you how to begin using commands.
- Chapter 6 introduces you to the Editor, which you will use to enter a document.
- Chapter 7 introduces you to the Filer, which you will be using to manage the files in which you will be storing documents and programs.
- Chapter 8 describes using the Compiler, which you will be using to transform a source program into a form that the computer can execute.

- Chapter 9 briefly discusses the Assembler, Librarian, and Debugger subsystems.
- Chapter 10 is devoted to helping you set up your programming “environment.”
- In Chapter 11, you will be entering, storing, compiling, and running a short Pascal program.
- The Task Reference briefly summarizes the steps for common procedures.
- There is also a subject index at the rear of this manual.

An Introduction to Programming and Problem Solving with Pascal

This is a textbook that will teach you the Pascal programming language. You should read it if you have not programmed using the Pascal language before, or if you have never programmed before. It is a combination of task-oriented information (such as discussions of how to solve particular programming problems) and object-oriented information (such as descriptions of reserved words and standard procedures).

- The STYLE CLINICS section lists the programming style tips given throughout the book.
- Chapter 1 describes the steps involved in developing programs in any computer language.
- Chapter 2 takes a closer look at developing algorithms. A thorough understanding and *application* of these principles will help you to become a good programmer as quickly as possible. You should memorize and follow the maxim:

“Think First, Code Later.”

- Chapters 3 through 10 present lots of advice and examples of Pascal programming.
- Chapter 11 presents a well organized summary of the “program design methods” that have been taught in the book.
- Appendices include the following: syntax diagrams, a list of standard identifiers, character sets, bibliography, selected answers to exercises, and subject index.

Pascal 3.1 Workstation System, Volume I: Main Command Level and Subsystems

This manual describes the HP Series 200/300 Pascal Workstation system. By reading it, you will learn how to use individual commands as well as how to use the subsystems (Editor, Filer, etc.). The chapters that describe the subsystems first take a task-oriented approach at introducing you to using the subsystem, and then provide an object-oriented discussion of each command at the end of the chapter. The last two chapters provide more task-oriented discussions of standard and special configurations and “non-disc” mass storage devices.

- Chapter 1 contains an overview of the manual.
- Chapter 2 provides a quick reference and detailed descriptions of Main Level commands.
- Chapter 3 describes the File System of the Pascal Workstation System.
- Chapters 4 through 9 describe the subsystems of the Workstation system: Editor, Filer, Pascal Compiler, Assembler, Librarian, and Debugger. The first part of each chapter describes using the subsystem, while the latter part describes each command. Pay special attention to the concept of *modules*, because the system itself is composed of modules. An understanding of these structures will greatly increase your ability to use the system to the fullest extent.
- Appendices discuss these topics: System History, file interchange between Series 200/300 BASIC and Pascal language systems, physical and software memory maps, command summaries, glossary, error messages, and subject index.

Pascal 3.1 Workstation System, Volume II: Programming and Configuration Topics

This manual describes using the Workstation-specific language features of this system. For instance, it describes programming with features of HP Pascal that are not contained in the “standard” Pascal language of most other computers. Some chapters also provide some handy techniques for making common computations with “standard” Pascal features. Here are the chapters and topics therein:

- Chapter 10 provides an overview of the Pascal language and software libraries provided with this system. It shows that the language consists of the “ANSI/ISO Pascal” standard, *plus* several additional enhancements.
- Chapters 11 through 17 describe using Workstation extensions of the following standard Pascal features:
 - Data types and structures
 - Program flow
 - Numeric computation
 - String manipulation
 - Programming with files
 - Dynamic variables and heap management
 - Error trapping and simulation
- Chapter 18 first describes how the system boots itself and then describes how you can alter this “standard” configuration.
- Chapter 19 describes using “non-disc” mass storage devices: EPROM and Magnetic Bubble Memory cards, and cartridge tape drives.
- Chapter 20 describes how to “port” programs written for Series 200 computers to Series 300 computers. It first describes the hardware differences between Series 300 and 200 machines, and then discusses several considerations to make when determining how to port a particular program.
- A list of errors and subject index are also included at the end of this manual.

Pascal 3.1 Procedure Library

This manual describes the library of procedures and functions provided with the Workstation Pascal System. It begins with an overview of modules and the mechanics of using them. The I/O Procedure Library is then covered in detail using a task-oriented approach. Several general and specific examples are provided. The last section of the book provides an object-oriented discussion of each procedure and function in the Procedure Library.

- Chapter 1 provides an overview of using the procedures and functions provided in the Procedure Library. You **must** read this chapter (or be familiar with the concepts) if you want to painlessly use the rest of the manual.
- Chapters 2 through 9 describe general I/O programming techniques.
- Chapters 10 through 13 describe specific techniques for using the HP-IB, Datacomm, Serial, and GPIO interfaces.
- Chapter 14 is an *advanced* programmer’s tutorial on using the “system devices” such as the beeper, softkeys, clock, timers, and other built-in hardware features.

- Chapter 15 is also an *advanced* programmer's tutorial on how to segment large programs into smaller ones at run time (to decrease memory requirements).
- The Procedure Library Reference section describes individual procedures and functions provided by the Procedure Library.
- There is also a glossary and subject index at the end of the manual.

Pascal 3.1 Graphics Techniques

This manual describes graphics concepts and then graphics programming techniques. It is mostly a task-oriented manual, although it does contain an object-oriented Graphics Procedures Reference appendix which describes the procedures and functions provided by the GRAPHICS modules.

- This manual begins in Chapter 1 by describing some fundamental graphics concepts and programming techniques.
- Chapter 2 continues with additional concepts and techniques.
- Chapter 3 describes color graphics and interactive graphics programming techniques.
- Appendix A provides several program listings.
- Appendix B provides descriptions of GRAPHICS procedures and functions provided in the Procedure Library (these descriptions are *exact* copies of descriptions found in the Reference section of the *Pascal Procedure Library* manual).
- This manual also has a subject index.

HP Pascal Language Reference

This manual describes HP Pascal reserved words, standard identifiers, procedures, and functions, and terms. It is entirely an object-oriented manual.

- The Keyword Dictionary section describes these topics: manual organization; symbols, identifiers, reserved words, operators, statements, procedures, and other features of the HP Standard Pascal language.
- The HP-UX Implementation section describes the specific features of the Series 200/300 HP-UX Pascal Compiler (which is irrelevant *unless* you also have a Series 200/300 HP-UX system).
- The Workstation Implementation section describes these specific features of the Series 200/300 Pascal Workstation System: Compiler options, implementation restrictions, UCSD Pascal extensions, Series 200 system programming extensions, Series 200/300 Pascal Workstation File System, heap management, and error messages.

MC68000 User's Manual

This manual describes the hardware operation, assembly language¹, and machine language of the Motorola MC68000 and MC68010 microprocessors. (Note that only 68000 and 68010 processors, not 68008 processors, are used in Series 200 machines; MC68010 and MC68020 are used in Series 300 computers.) You will only need to read it if you are going to be programming in assembly language. It is mostly an object-oriented manual.

- Section 1 describes MC68000 and MC68010 hardware architecture.
- Section 2 describes addressing modes and data organization.
- Section 3 details the instruction set.
- Section 4 describes how “exceptions” are processed.
- Appendix A discusses condition codes in detail.
- Appendix B provides an alphabetical reference of the Assembler language instructions, and Appendix C summarizes the format of these instructions.
- Appendices D, E, and F show how to determine the time required to execute instructions for different processors in the MC68000 family.
- Appendix G discusses the looping instructions available with the MC 68010 processor.

MC68020 User's Manual

This manual contains hardware specifications and assembly language instruction syntax¹ for the MC68020 microprocessor. (This manual is not shipped all systems.)

MC68881 User's Manual

This manual contains hardware specifications and assembly language instruction syntax¹ for the MC68881 floating-point math co-processor. (This manual is not shipped all systems.)

¹ Extensions to and deviations from this assembly language are described in the “Assembler” chapter in Volume I of the *Pascal Workstation System* manual.

Manual Comment Sheet Instruction

If you have any comments or questions regarding this manual, write them on the enclosed comment sheets and place them in the mail. Include page numbers with your comments wherever possible.

If there is a revision number, (found on the Printing History page), include it on the comment sheet. Also include a return address so that we can respond as soon as possible.

The sheets are designed to be folded into thirds along the dotted lines and taped closed. Do not use staples.

Thank you for your time and interest.

Happy Programming !

Master Index

a

- | | | | |
|--|---|----------------------------------|----------------|
| Abort (HP-IB) | PL: 86 | Anonymous files | WS II: 104 |
| Aborting prompts | UG: 41 | ANSI (Compiler option) | WS I: 182 |
| ABS (function) | WS II: 42 | ANSI/ISO Pascal | WS II: 4 |
| Absolute addressing (of variables) | WS II: 20 | ANY C key | UG: 95 |
| Absolute locator | GT: 223,225,
250,281,282,286,301,325 | ANY CHAR key | UG: 82 |
| Absolute symbols | WS I: 243 | ANYCHAR key | UG: 66 |
| Acceleration, pen | GT: 86 | ANYPTR | WS II: 29 |
| Access command (Filer) | WS I: 126 | ANYVAR | WS II: 28 |
| Access rights (SRM) | WS I: 46,110, WS II: 120 | APPEND (file) | WS II: 106,116 |
| Accuracy | WS II: 34 | Arccos | WS II: 44 |
| Active controller (HP-IB) | PL: 78,83 | Arcsin | WS II: 44 |
| Adding modules to System Library | WS I: 280 | Arctan | WS II: 44 |
| ADDR (function) | WS II: 20 | ARCTAN (function) | WS II: 42 |
| Address (HP-IB) | PL: 83 | Array constants | WS II: 16 |
| Addressed to listen state (HP-IB) | PL: 89 | Arrays, conformant | WS II: 21 |
| Addressed to talk state (HP-IB) | PL: 89 | Arrays, passing | WS II: 21 |
| Addresses (heap) | WS I: 381 | Arrays, string | WS II: 69 |
| Addresses (HP-IB) | PL: 78 | Arrow keys | UG: 75,89,101 |
| Addresses (of I/O) | WS I: 378-9 | ASCII files | WS II: 99,101 |
| Addresses (of RAM) | WS I: 375-6 | Aspect ratio | GT: 34,60,99 |
| Addresses (of ROM) | WS I: 377 | Aspect Ratio, setting | GT: 11 |
| Addresses (stack) | WS I: 381 | Assembler pseudo ops: | |
| Addresses (used by system) | WS I: 381 | COM | WS I: 250 |
| Addressing modes, Assembler | WS I: 245 | DC | WS I: 251 |
| Addressing range | WS I: 375 | DECIMAL | WS I: 251 |
| Adjust command (Editor) | WS I: 74 | DEF | WS I: 252 |
| Advanced bus management (HP-IB) | PL: 94 | DS | WS I: 252 |
| ALIAS (Compiler option) | WS I: 180 | END | WS I: 253 |
| ALLOCATE module | PL: 17 | EQU | WS I: 253 |
| ALLOW_PACKED (Compiler option) | WS I: 181 | INCLUDE | WS I: 253 |
| Alpha displays, Series 300 | WS II: 257 | LIST | WS I: 254 |
| Alpha key | UG: 104 | LLEN | WS I: 254 |
| ALPHA key | UG: 66,82 | LMODE | WS I: 255 |
| Alphabetical directory listing | UG: 141 | LPRINT | WS I: 255 |
| Alternate DAMs | WS II: 155 | MNAME | WS I: 256 |
| Angles | WS II: 43 | NOLIST | WS I: 256 |
| Anisotropic scaling | GT: 10 | NOOBJ | WS I: 257 |
| | | NOSYMS | WS I: 257 |
| | | ORG | WS I: 258 |

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

PAGE	WS I: 258	Asterisk (system volume)	UG: 112
REFA.....	WS I: 259	Asynchronous protocol (Datacomm).....	PL: 118,129
REFR.....	WS I: 259	Attention line (HP-IB)	PL: 91
RMODE	WS I: 260	Attention message (HP-IB)	PL: 80
RORG.....	WS I: 260	Attributes, color	GT: 101
SMODE.....	WS I: 261	Auto-configuration:	
SPC.....	WS I: 261	Program (TABLE).....	WS II: 140,141
SPRINT.....	WS I: 261	Standard	WS II: 143
SRC.....	WS I: 262	Verifying modifications	WS II: 197
START	WS I: 262	Auto-dialing (Datacomm)	PL: 136
TTL.....	WS I: 262	Auto-poll (Datacomm).....	PL: 141
Assembler subsystem	UG: 157,206,261	AUTOKEYS files.....	WS II: 142,170
Assembler syntax (diagram)	WS I: 237	AUTOSTART files.....	WS II: 142,170
Assembler:		Autostart files:	
Addressing modes	WS I: 245	Booting with	UG: 176
Comment	WS I: 237,247	Changing.....	UG: 198
Declaring global variables	WS I: 229	Confirming	UG: 177
Declaring module name	WS I: 228	Creating.....	UG: 172,232
DEF table	WS I: 226	Description of	UG: 171
Error recovery	WS I: 233	Modifying for Winchester disc	UG: 174
Errors.....	WS I: 417	Storing.....	UG: 175
Example modules.....	WS I: 263	Auxiliary command register (HP-IB) ..	PL: 109
Exception coding	WS I: 235	Available global space	UG: 115
Expressions.....	WS I: 244	Available memory (MEMAVAIL) ...	WS I: 381
EXT Table.....	WS I: 227	AWAIT_LOCATOR procedure	GT: 95,223,225
EXTERNAL procedures	WS I: 236	Axes.....	GT: 20,62
General syntax	WS I: 237	Axes, labelling	GT: 25
IMPORT text	WS I: 226	Axes, logarithmic	GT: 64
Instruction fields	WS I: 238	AxesGrid program	GT: 62,144
Introduction	WS I: 221		
Invoking	WS I: 222		
Letter case	WS I: 238		
Line label	WS I: 238		
Listing	WS I: 222,224		
Local variables	WS I: 230		
Module initialization.....	WS I: 233		
Modules	WS I: 225		
Object file	WS I: 223		
Opcode size suffix	WS I: 240		
Operand(s)	WS I: 237,241		
Passing Parameters	WS I: 228		
Pseudo ops.....	WS I: 250		
Source file.....	WS I: 222		
Support of co-processor	WS I: 249		
Syntax.....	WS I: 237		
Use of the stack	WS I: 235		
Assembly language instructions	WS I: 237		
Assignment, string.....	WS II: 67		

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

b

- BACK SPACE key **UG:** 89,101
- Background value **GT:** 124
- Backing up a program **UG:** 196
- Backing up the Pascal system **UG:** 46,222
- Backing up volumes. **WS I:** 113
- Backplane **PL:** 22
- Backspace key. **UG:** 75
- Bad sector command (Filer) **WS I:** 128
- BAR_KNOB program **GT:** 87,90,151
- BAR_KNOB2 program **GT:** 154
- Base (logarithms) **WS II:** 53
- Battery features (System devices) **PL:** 280
- Baud rate (Datacomm) **PL:** 123,130
- Baud rate (Serial) **PL:** 157,160
- Beeper (System devices) **PL:** 217
- BINARY (function) **WS II:** 42
- Binding of variable values **WS II:** 37
- Bit **PL:** 27
- Bit-mapped displays **WS II:** 256
- Block size (Datacomm) **PL:** 135
- Blocked and unblocked Units **WS I:** 25
- Blocked devices. **WS II:** 121,144
- Bold labels **GT:** 19
- Boolean data type. **WS II:** 15
- Boot ROM. **WS II:** 139
- Boot volume **UG:** 18,20
- Boot volume (defined) **WS II:** 141
- Boot-time errors. **WS I:** 408
- Booting from EPROM **WS II:** 232
- Booting Pascal system. **GT:** 7
- Booting process **WS II:** 139
- Booting:
- From flexible disc **UG:** 18,203
 - From Winchester (hard) disc **UG:** 164
 - Problems **UG:** 20
- Bounds identifier. **WS II:** 23
- Branching, standard Pascal **WS II:** 27
- Break key. **UG:** 72
- Break messages (Serial). **PL:** 165
- Break timing (Datacomm) **PL:** 133
- Breakpoints (Debugger) **WS I:** 313
- BRSTUFF module (CTABLE) **WS II:** 192
- Bubble cards:
- Configuration **WS II:** 217
 - Driver module. **WS II:** 219
 - Error correction. **WS II:** 224
 - File System access of **WS II:** 223
 - Hardware device. **WS II:** 224
 - Initializing. **WS II:** 225
 - Interrupts **WS II:** 225
- Bubble memory **UG:** 42, **WS II:** 154,215,217
- Buffer (file). **WS II:** 104,105
- Buffer, editing **UG:** 126
- Buffer, type-ahead. **UG:** 56,80,93,106
- Buffers:
- BUF_INFO_TYPE **PL:** 69
 - Control of **PL:** 70
 - END condition transfers. **PL:** 76
 - Feeding of **PL:** 71
 - General **PL:** 69
 - Match character transfers. **PL:** 76
 - Overlap transfers **PL:** 74
 - Reading data from **PL:** 70
 - Serial transfers **PL:** 72
 - Special transfers **PL:** 76
 - Terminating transfers **PL:** 74
 - Word transfers **PL:** 76
 - Writing data to **PL:** 71
- BUF_INFO_TYPE **PL:** 69
- Bus. **PL:** 22
- Bus address. **PL:** 44
- Bus line states (HP-IB) **PL:** 92
- Bus sequences (HP-IB) **PL:** 81
- Byte **PL:** 27

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

C

- C I/O key **UG:** 100
- Cable options (Datacomm) **PL:** 143
- Cable options (Serial) **PL:** 177
- Cache memory (MC68020) **WS II:** 257
- Calendar functions **WS II:** 54
- CALL procedure **WS II:** 30
- CALLABS (Compiler option) **WS I:** 183
- CAPS key **UG:** 102
- Caps key **UG:** 76
- CAPS LOCK key **UG:** 90
- CARD_ID **PL:** 39-41
- CARD_TYPE **PL:** 39-41
- Cartesian coordinates **GT:** 6
- Cartridge tape drives **WS II:** 215
- Case conversion (string) **WS II:** 82
- CASE/OF **WS II:** 27
- Cell, character **GT:** 43
- Centering labels **GT:** 17
- Change command **UG:** 142,246
- Change command (Filer) **WS I:** 119,129
- Changing memory contents **WS I:** 322
- Chapter Previews **WS I:** 2,3,4
- Chapter previews **PL:** 2
- Char data type **WS II:** 15
- Character cell **GT:** 43
- Character format (Datacomm) **PL:** 133
- Character format (Serial) **PL:** 156,158,161
- Character length (Datacomm) **PL:** 123
- Character set, Roman 8 **UG:** 77
- Character sets **WS I:** 383
- Character size, setting **GT:** 16,45
- Character-to-numeric conversions **WS II:** 77
- Characters (internal representation of) **PL:** 29
- CharCell program **GT:** 43,159
- CHARSIZE procedure **GT:** 46,50
- Choosing graphics display device **GT:** 6
- Classes of files **WS II:** 88
- Clear (HP-IB) **PL:** 86
- Clear line key **UG:** 79
- Clearing workfiles **UG:** 238
- CLEAR_DISPLAY procedure **GT:** 55,231
- CLIPDRAW procedure **GT:** 25,32,62
- Clipping lines **GT:** 23
- Clock (System devices) **PL:** 219
- Clock, setting the **UG:** 25,204
- Clocks (Series 300) **WS II:** 258
- CLOSE (file) **WS II:** 90,106
- Closed loop system **GT:** 87
- CLR I/O key **UG:** 88
- CLR L key **UG:** 103
- CLR LN key **UG:** 92
- Co-processor support **WS I:** 249
- Co-processor:
- 68881 **WS I:** 237
- Co-processors **WS I:** 239
- Coalescing hard-disc volumes
- WS II:** 138,146,147,159
- CODE (Compiler option) **WS I:** 184
- CODE files **UG:** 109,153
- CODE_OFFSETS (Compiler option) **WS I:** 185
- Colon (default volume) **UG:** 111
- Color displays, external **GT:** 84
- Color highlight characters **WS I:** 394
- COLOR program **GT:** 109,160
- Color:
- Additional colors **GT:** 120,124,125
- Business **GT:** 102
- CMY Color Cube **GT:** 113
- Dithered colors **GT:** 121,124
- Effective use of **GT:** 136
- Gamuts **GT:** 140
- Graphics **GT:** 101
- Hardcopy **GT:** 140
- HSL Color Cylinder **GT:** 114
- HSL model **GT:** 105,109
- Hue **GT:** 105
- Luminosity **GT:** 105
- Map **GT:** 125
- Mixing **GT:** 137
- Model resolution **GT:** 129
- Models **GT:** 104,109
- Objective use of **GT:** 138
- Primary **GT:** 102
- References **GT:** 142
- RGB Color Cube **GT:** 112
- RGB model **GT:** 104,109
- Saturation **GT:** 105
- Seeing **GT:** 136
- Spaces **GT:** 111
- Subjective use of **GT:** 138
- Table **GT:** 102
- Vector **GT:** 121

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

Combining strings	WS II: 79		
Command Interpreter file (STARTUP) ..		WS II: 141	
Command lines	UG: 37,54		
Command reference:			
Debugger	WS I: 333		
Editor	WS I: 72		
Filer	WS I: 122		
Librarian	WS I: 293-5		
Command summary:			
Debugger	WS I: 73,331,399		
Editor	WS I: 396		
Filer	WS I: 397		
Librarian	WS I: 398		
Main Command Level	WS I: 395		
Command:			
Krunch (Filer)	WS I: 140		
Access (Filer)	WS I: 126		
Adjust (Editor)	WS I: 74		
Bad sector (Filer)	WS I: 128		
Change (Filer)	WS I: 129		
Copy (Editor)	WS I: 76		
Debugger (summary)	WS I: 331		
Delete (Editor)	WS I: 78		
Duplicate (Filer)	WS I: 131		
Equals (=) (Editor)	WS I: 80		
Exchange (Editor)	WS I: 100		
eXecute (Main level)	WS I: 8		
Extended directory (Filer)	WS I: 132		
Filecopy (Filer)	WS I: 81		
Find (Editor)	WS I: 81		
Get (Filer)	WS I: 139		
Initialize (Main Level)	WS I: 8,9		
Insert (Editor)	WS I: 84		
Jump (Editor)	WS I: 87		
Librarian (Summary)	WS I: 293-5		
List directory (Filer)	WS I: 142		
Main Level	WS I: 5,6		
Make (Filer)	WS I: 144		
Margin (Editor)	WS I: 88		
Memory volume (Main Level)	WS I: 9		
New (Filer)	WS I: 146		
New sysvol (Main Level)	WS I: 12		
Page (Editor)	WS I: 89		
Permanent (Main Level)	WS I: 13		
Prefix (Filer)	WS I: 147		
Quit (Editor)	WS I: 90		
Quit (Filer)	WS I: 149		
Remove (Filer)	WS I: 150		
Replace (Editor)	WS I: 92		
Run (Main Level)	WS I: 14		
Save (Filer)	WS I: 152		
Set (Editor)	WS I: 95		
Stream (Main Level)	WS I: 15		
Syntax diagram	WS I: 7		
Translate (Filer)	WS I: 153		
Unit directory (Filer)	WS I: 155		
User restart (Main Level)	WS I: 18		
Verify (Editor)	WS I: 99		
Version (Main Level)	WS I: 19		
Volumes (Filer)	WS I: 157		
What (Filer)	WS I: 158		
What (Main Level)	WS I: 21		
Zap (Editor)	WS I: 102		
Zero (Filer)	WS I: 159		
Commands table (HP-IB)	PL: 96		
Commands:			
Exiting	UG: 210		
Invoking	UG: 209		
Comments, Assembler	WS I: 237,247		
Compacting volume space	UG: 144,249		
Comparisons, numeric	WS II: 40		
Comparisons, string	WS II: 71		
Compatibility (of interfaces)	PL: 24		
Compatibility Display Interface	WS II: 264		
Compatibility, object-code	WS II: 267		
Compile strategy (for modules)	PL: 6		
COMPILE20 compiler	WS II: 268		
Compiler intrinsics	PL: 13		
Compiler option:			
ALIAS	WS I: 180		
ALLOW_PACKED	WS I: 181		
ANSI	WS I: 182		
CALLABS	WS I: 182		
CODE	WS I: 184		
CODE_OFFSETS	WS I: 184		
COPYRIGHT	WS I: 186		
DEBUG	WS I: 187		
DEBUG ON	WS I: 212		
DEF	WS I: 188		
FLOAT_HDW	WS I: 189		
General	WS I: 179		
HEAP_DISPOSE	WS I: 190, WS II: 126		
IF	WS I: 191		
INCLUDE	WS I: 192		
IOCHECK	WS I: 193, WS II: 132		

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

LINENUM	WS I: 194
LINES	WS I: 195
LIST	WS I: 196
OVFLCHECK	WS I: 197
PAGE	WS I: 198
PAGEWIDTH	WS I: 199
PARTIAL_EVAL	WS I: 200
RANGE	WS I: 201
REF	WS I: 202
SAVE_CONST	WS I: 203
SEARCH	WS I: 204
SEARCH_SIZE	WS I: 205
STACKCHECK	WS I: 206,212,213
SWITCH_STRPOS	WS I: 207
SYSPROG	WS I: 208
TABLES	WS I: 209
UCSD	WS I: 210, WS II: 132
WARN	WS I: 211
Compiler options, overview	WS II: 9
Compiler options:	
FLOAT_HDW	PL: 15
HEAP_DISPOSE	PL: 13
RANGE ON	PL: 39
SEARCH	PL: 6
SYSPROG	PL: 62
Compiler:	
Compiling workfiles	UG: 155,182
Description of	UG: 108,149
Entering	UG: 151,206,250
Errors	WS I: 177,413
Function calls	WS I: 214
Function results	WS I: 215
Global variables	WS I: 212
INCLUDE files	WS I: 176
Introduction	WS I: 161
Invoking	WS I: 162
Listing	WS I: 163
Memory requirements	UG: 261
Modules	WS I: 167
Output (CODE) files	UG: 153,250
Parameter passing	WS I: 214
Printer (program) listings	UG: 152,250
Procedure calls	WS I: 213
Running the program	WS I: 165
SEARCH option	WS I: 173
Separate module compilation	WS I: 172
Stack usage	WS I: 212
Static links	WS I: 217
Strategy for compiling modules	WS I: 276
UCSD options	WS I: 161
Using	UG: 152,182,186,190,193,250
Workfile	WS I: 165
Compiling a program	UG: 152,250
Compiling demonstration programs	GT: 4
Compiling modules	WS I: 275
Compiling programs	UG: 186
Complementing lines	GT: 55,131
Computation, numeric	WS II: 31
Computer (block diagram)	PL: 22
Computer resource	PL: 21
Concatenating strings	WS II: 70,80
Concurrent file access	WS II: 116,118
CONFIG disc	UG: 59
CONFIG:	
disc	WS II: 13
Configuration:	
Bubbles and EPROM	WS II: 154
CS80 discs	WS II: 172
Example of SRM	WS II: 201
Interfaces	WS II: 150
Modifying the standard	WS II: 159
Multi-disc SRM	WS II: 213
Printers	WS II: 153
Verifying changes to	WS II: 197
Configuring serial interface	WS II: 262
Conformant arrays	WS II: 21
CONSOLE volume	UG: 146
Constants, Assembler	WS I: 241
Constants, in arrays	WS II: 16
Constants, in records	WS II: 17
Constants, in sets	WS II: 17
CONT key	UG: 66,95
CONTINUE key	UG: 84
Continuous degrees of freedom	GT: 93
Control blocks (Datacomm)	PL: 120,129,134
Control characters (in strings)	WS II: 68
Control characters (System devices)	PL: 234
Control value (DISPLAY_INIT)	GT: 7
Controlling program flow	WS II: 27
ControlWord variable	GT: 7
Conversion between coordinate systems	GT: 40
Conversion, number-base	WS II: 57
Conversions, character-to-numeric	WS II: 77
Conversions, letter case	WS II: 82
Conversions, numeric-to-character	WS II: 78
Conversions, numeric-to-string	WS II: 78

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

Data-driven plotting	GT: 71	RS-232C cable signals	PL: 143
Datacomm:		Secondary channel	PL: 142
Asynchronous	PL: 129	Start bit	PL: 118
Asynchronous protocol	PL: 118	Stop bits	PL: 118,123
Auto-dialing	PL: 136	Telephone links	PL: 135
Auto-poll	PL: 141	Terminal identification	PL: 134
Baud rate	PL: 123,130	Terminal prompt messages	PL: 140
Block size	PL: 135	Datapoint function	GT: 6
Break timing	PL: 133	DataPoint program	GT: 168
Cable adapter options	PL: 143	Date and time (System devices)	PL: 219
Character format	PL: 133	Date, setting system	UG: 24,204
Character length	PL: 123	Day of the week	WS II: 55
Connecting to the line	PL: 135	DC600 tape drives	WS II: 215,247
Connection procedures	PL: 136	DCE and DTE cables (Datacomm) ...	PL: 143
Control blocks	PL: 120,129,134	DCE cable (Serial)	PL: 178
Data Communication Basics (98046-90005)		DEBUG ON (Compiler option) WS I:	212,304
	PL: 117	Debugger commands:	
Data link connections	PL: 136	B	WS I: 335
Data link options	PL: 133	BA	WS I: 335
Data link protocol	PL: 119	BC	WS I: 336
Data messages	PL: 122	BD	WS I: 336
DCE and DTE cable options	PL: 143	BS	WS I: 337
Defaults	PL: 127	CALL	WS I: 338
Dialing procedures	PL: 136	D	WS I: 339
Direct connection links	PL: 135	DA	WS I: 341
Driver/receiver circuits	PL: 144	DG	WS I: 341
End-of-line recognition	PL: 132	EC	WS I: 342
Errors and recovery	PL: 138	ET	WS I: 342
Establishing the connection	PL: 126	ETC	WS I: 343
Example terminal emulator	PL: 124	ETN	WS I: 343
Half-duplex	PL: 142	FB	WS I: 344
Handshake	PL: 131,134	FH	WS I: 344
Handshake characters	PL: 132	FI	WS I: 344
Initiating connection	PL: 137	FO	WS I: 344
Introduction	PL: 117	FU	WS I: 344
IOSTATUS and IOCONTROL registers		G	WS I: 345
	PL: 145	GF	WS I: 345
Line timeouts	PL: 130	GT	WS I: 346
Non-data characters	PL: 132	GTF	WS I: 346
Operating parameters	PL: 126	IF, ELSE, END	WS I: 347
Overview of programming	PL: 123	OL,OW,OB	WS I: 349
Parity	PL: 118,123,135	PN	WS I: 350
Preventing data loss	PL: 140	PX	WS I: 350
Private links	PL: 135	Q	WS I: 351
Programming helps	PL: 140	QE	WS I: 351
Prompt recognition	PL: 132	QS	WS I: 351
Protocol	PL: 118,128	Register operations	WS I: 353
Reset	PL: 128	sb	WS I: 353

UG: Pascal 3.1 User's Guide
 WS I: Pascal 3.1 Workstation System, Vol. I
 WS II: Pascal 3.1 Workstation System, Vol. II
 PL: Pascal 3.0 Procedure Library
 GT: Pascal 3.0 Graphics Techniques

- Softkey commands **WS I:** 352
- T **WS I:** 354
- TD **WS I:** 354
- TQ **WS I:** 354
- TT **WS I:** 355
- WD **WS I:** 356
- WR **WS I:** 356
- WS **WS I:** 356
- Debugger subsystem **UG:** 157
- Debugger window (System devices) . . **PL:** 243
- Debugger:
 - Breakpoint Table **WS I:** 315
 - Breakpoints **WS I:** 313
 - Changing memory contents **WS I:** 322
 - Clearing Breakpoints **WS I:** 316
 - Code file specification **WS I:** 306
 - Command reference **WS I:** 333
 - Command screen **WS I:** 308
 - Command summary **WS I:** 331,399
 - DEBUG Compiler option **WS I:** 304
 - Default display formats **WS I:** 313
 - Display formats **WS I:** 310
 - Displaying data **WS I:** 310
 - Errors **WS I:** 419
 - Examining consecutive memory **WS I:** 320
 - Examining variables. **WS I:** 318
 - Example program **WS I:** 304
 - Exception trapping. **WS I:** 324
 - Executing a number of statements **WS I:** 316
 - Expressions. **WS I:** 333
 - Formats for structured variables. . **WS I:** 321
 - Generating Escapes. **WS I:** 325
 - Input formats **WS I:** 313
 - Introduction **WS I:** 303
 - Invoking **WS I:** 306
 - Is it installed? **WS I:** 306,327
 - Key notation. **WS I:** 306
 - Keyboard **WS I:** 327
 - Loading. **WS I:** 303,305
 - Pause function **WS I:** 316
 - Prompt **WS I:** 308
 - Queue **WS I:** 310
 - Sample session **WS I:** 304
 - Screen dumps **WS I:** 310
 - Single-stepping. **WS I:** 308
 - Slow program execution. **WS I:** 309
 - Stack frame **WS I:** 317
 - Static and dynamic links. **WS I:** 323
 - Tracing program flow **WS I:** 317
- Debugging files **WS II:** 117
- Declaring numeric variables **WS II:** 32
- Declaring string variables **WS II:** 69
- DEF (Compiler option) **WS I:** 188
- DEF table **WS I:** 226,296
- DEF table command (Librarian) . . . **WS I:** 287
- Default device address vectors (CTABLE) **WS II:** 184
- Default display formats (Debugger) **WS I:** 313
- Default values (in prompts) **UG:** 41,213
- Default volume **UG:** 111,145,170,230
WS I: 22,26,106
- Defaults:
 - Datacomm **PL:** 127
 - GPIO **PL:** 187-8
 - HP-IB **PL:** 78
 - Serial **PL:** 157-8
- Define Source **WS I:** 296
- Defining a viewport. **GT:** 13
- Degrees **WS II:** 43
- Degrees of freedom:
 - Continuous **GT:** 93
 - Non-separable **GT:** 93
 - Number of **GT:** 89
 - Quality of **GT:** 89
 - Quantizable **GT:** 94
 - Separability of **GT:** 93
- DEL C key **UG:** 103
- DEL CHR key **UG:** 92
- DEL key **UG:** 79
- DEL L key **UG:** 103
- DEL LN key **UG:** 92
- Delayed binding **WS II:** 37
- Delete char key. **UG:** 79
- Delete command **UG:** 122
- Delete command (Editor) **WS I:** 78
- Delete line key **UG:** 79
- Deleting a file **UG:** 143,243
- Deleting files. **WS I:** 120
- Demonstration programs. **GT:** 4,6
- Dependency of modules (table) **PL:** 20
- Destination (of I/O operations) **PL:** 22
- Determining existence of files. **WS II:** 134
- Device classes (TABLE program) . . **WS II:** 144
- Device drivers. **WS II:** 150
- Device priority (while booting) . . . **WS II:** 145
- Device selector (DISPLAY_INIT) **GT:** 6

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

- Device selectors:
 - General **PL:** 38,43,44
 - HP-IB **PL:** 79
- Device-driver modules **WS II:** 140
- Device-independent Graphics (DGL) . . . **PL:** 16
- Devices, blocked **WS II:** 121
- DGLPRG disc **GT:** 1
- Dialing procedures (Datacomm) **PL:** 136
- Direct (random) access files **WS II:** 110
- Direct connection links (Datacomm) . . **PL:** 135
- Directing data flow **PL:** 43
- Direction of labels, setting **GT:** 17
- Direction, label **GT:** 48
- Directory (of volume) **WS II:** 88
- Directory access methods (DAMs)
 - WS I:** 10,34, **WS II:** 155
- Directory path syntax **WS I:** 30
- Directory:
 - Description of **UG:** 33
 - Listing alphabetically **UG:** 141
 - Listing files in **UG:** 138,247
- Disassembly of a module . . . **WS I:** 265,288-91
- Disc drives **WS I:** 24
- Disc initialization **WS II:** 123
- Disc interleave **WS II:** 121
- Disc performance **WS II:** 152
- Disc, flexible:
 - Formatting **UG:** 26,214
 - Handling **UG:** 10
 - Initialization **UG:** 26,214
 - Insertion **UG:** 12
 - Removing **UG:** 13
- Disc, Winchester (hard):
 - Formatting **UG:** 26,216
 - Initialization **UG:** 26,216
 - Autostart file **UG:** 174
 - Booting from **UG:** 164
 - Copying Pascal system **UG:** 160,224
- Disc:
 - Unit number assignments. . . **UG:** 42,219,220
 - Write-protection **UG:** 15
- Discs, magnetic **WS II:** 121
- Discs, system **WS II:** 139
- Display control characters (System devices) . . .
 - PL:** 234
- Display design **GT:** 137
- Display formats (Debugger) **WS I:** 311
- Display limits, setting **GT:** 33
- Display organization **UG:** 54
- Displaying data (with Debugger) . . . **WS I:** 310
- Displays, external color **GT:** 84
- Displays, turning on and off **GT:** 39
- DISPLAY_FINISH procedure **GT:** 234
- DISPLAY_INIT procedure **GT:** 6,81,84,238
- DISPLAY_TERM procedure **GT:** 243
- DISPOSE **WS II:** 126,127,128
- DISPOSE (procedure) **PL:** 13
- Dithered colors **GT:** 124
- Dithering **GT:** 75,120,126
- DIV (operator) **WS II:** 42
- Dlete command **UG:** 122
- DMA card (configuration) **WS II:** 138
- DMP A key **UG:** 68
- DMP G key **UG:** 68
- DO **WS II:** 27
- Document editing environment **UG:** 128
- Dollar sign wildcard **UG:** 142,161,196,239
- Dominant lines, drawing **GT:** 55,131
- Drawing lines **GT:** 7
- Drawing modes, CRT **GT:** 55,130
- DrawMdPrg program **GT:** 56,168
- Drive numbers **WS I:** 25
- Driver/receiver circuits (Datacomm) . . . **PL:** 144
- DTE cable (Serial) **PL:** 177
- DUMP ALPHA key **UG:** 83,105
- DUMP GRAPHICS key **UG:** 83,105
- Dumping raster images **GT:** 82
- Duplicate command (Filer) **WS I:** 129
- Dyadic numeric operators **WS II:** 37
- Dynamic variables **WS II:** 125

e

- Echoes **GT:** 226
- Echoes:
 - Built-in **GT:** 95
 - Rubber **GT:** 98
- EDIT key **UG:** 82
- Editor:
 - Anchor **WS I:** 68
 - Backing up your file **WS I:** 67
 - Changing text **WS I:** 57
 - Command summary:Editor **WS I:** 396
 - Confirming or aborting commands **WS I:** 53
 - Copying text from other files **WS I:** 52
 - Cpy command **UG:** 125
 - Creating a text file **WS I:** 49
 - Creating text **WS I:** 50,51
 - Cursor **WS I:** 68
 - Deleting text **WS I:** 55
 - Description of **UG:** 108,119
 - Delete command **UG:** 122
 - Duplicating text **WS I:** 56
 - Editing characteristics **UG:** 127
 - Entering **UG:** 51,119,206
 - Entering the **WS I:** 48
 - Exiting **UG:** 52,130
 - Exiting the Editor **WS I:** 66
 - File size **WS I:** 69
 - Finding text patterns **WS I:** 62
 - Formatting text **WS I:** 62
 - I/O errors **WS I:** 71
 - Insrt command **UG:** 120
 - Introduction **WS I:** 47
 - Margin command **UG:** 129
 - Margining text **WS I:** 64
 - Memory requirements **UG:** 261
 - Moving text **WS I:** 56
 - Moving the cursor **WS I:** 54
 - Quitting **UG:** 52
 - Recovering deleted text **WS I:** 56
 - Set environment command **UG:** 127
 - Setting the environment **WS I:** 64,65
 - Storing an edited file **UG:** 130,181
 - Storing your file **WS I:** 51,66
 - Stream Files **WS I:** 71
 - Text files **WS I:** 68
 - Using workfiles **WS I:** 70
 - Window **WS I:** 68
 - Xchng command **UG:** 123
- Electrical compatibility **PL:** 24
- ELSE **WS II:** 27
- END condition transfers **PL:** 76
- End or Identify (HP-IB) **PL:** 91
- End-of-file detection **WS II:** 92,98
- End-of-line detection (files) **WS II:** 98
- End-of-line recognition (Datacomm) .. **PL:** 132
- Enter key **UG:** 71
- ENTER key **UG:** 84,96
- Environment, programming **UG:** 159
- Environments, editing **UG:** 128
- EOF **WS II:** 92,98
- EOLN **WS II:** 98
- EPROM card **UG:** 42
- EPROM cards:
 - As the System Volume **WS II:** 232
 - Blank check **WS II:** 238
 - Burn failure **WS II:** 241
 - Burn rate **WS II:** 237
 - Check failure **WS II:** 240
 - Configuration changes **WS II:** 226
 - Configuration modifications **WS II:** 244
 - Driver modules **WS II:** 227,241
 - Empty sockets **WS II:** 237
 - File system access **WS II:** 246
 - Headers **WS II:** 233
 - Memory addresses **WS II:** 231
 - Memory card installation **WS II:** 229
 - Overview of using **WS II:** 226
 - Programmer card installation ... **WS II:** 227
 - Programmer card select code ... **WS II:** 228
 - Programmer select code **WS II:** 236
 - Programming utility **WS II:** 232
 - Transfer utility **WS II:** 235
 - Transferring files **WS II:** 233
 - Transferring volumes **WS II:** 232,239
- EPROM memory **WS II:** 154,215,226
- Equal sign wildcard **UG:** 161,241
- Equals (=) command (Editor) **WS I:** 80
- Erasing lines **GT:** 55,131
- Error messages **WS I:** 407, **WS II:** 269
- Error recovery **WS I:** 233
- Error simulation **WS II:** 136
- Error trapping **WS II:** 129
- Errors with files **WS II:** 97
- Errors, extended information **WS II:** 133
- Errors, overflow **WS II:** 34

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

- Errors:
- Assembler **WS I:** 417
 - Boot-time **WS I:** 408
 - booting **UG:** 20
 - Compiler **WS I:** 413
 - Datacomm **PL:** 138
 - Debugger **WS I:** 419
 - General **PL:** 61
 - Graphics errors **WS I:** 411
 - I/O **PL:** 63
 - I/O (table) **PL:** 67
 - I/O library **WS I:** 410
 - I/O system **WS I:** 409
 - Loader/SEGMENTER **WS I:** 412
 - Messages **WS I:** 407
 - Run-time **UG:** 191, **WS I:** 408
 - Segmentation **PL:** 304
 - Serial (Serial) **PL:** 163
 - Syntax **UG:** 187, **WS I:** 163
 - Unreported **WS I:** 407
 - ESC key **UG:** 55,72
 - ESCAPE **WS II:** 117,130,136, **PL:** 63
 - ESCAPECODE **WS II:** 130,133, **PL:** 63
 - Establishing the connection (Datacomm)
PL: 126
 - ETN **WS II:** 117
 - Evaluating expressions **WS II:** 35
 - Evaluating string expressions **WS II:** 70
 - Events (errors and timeouts) **PL:** 61
 - Examining consecutive memory (Debugger)
WS I: 320
 - Examining variables (Debugger) **WS I:** 318
 - Example modules **PL:** 3
 - Example terminal emulator (Datacomm) **PL:** 124
 - Exception coding **WS I:** 235
 - Exception trapping (Debugger) **WS I:** 324
 - Exchange command **UG:** 123
 - eXchange command (Editor) **WS I:** 100
 - Exclusive files **WS II:** 116
 - EXEC key **UG:** 97
 - eXecute command **UG:** 26,39,108,252
 - eXecute Command (Main Level) **WS I:** 8
 - EXECUTE key **UG:** 85
 - Existence of files, determining **WS II:** 134
 - Exiting **UG:** 4
 - Exiting commands **UG:** 210
 - Exiting subsystems **UG:** 208
 - EXP (function) **WS II:** 42,52
 - Explicit commands (HP-IB) **PL:** 98
 - Exponentiation **WS II:** 52
 - EXPORT **WS I:** 298
 - Expressions (Debugger) **WS I:** 333
 - Expressions, Assembler **WS I:** 244
 - Expressions, evaluating **WS II:** 35
 - Expressions, string **WS II:** 70
 - EXT table **WS I:** 227,297
 - EXT table command (Librarian) **WS I:** 287
 - Extend char key **UG:** 77
 - Extended character set **UG:** 77
 - Extended directory command (Filer) **WS I:** 109,132
 - Extended error information **WS II:** 133
 - Extensions to Pascal **WS II:** 6
 - Extensions, Systems Programming
WS II: 10,129
 - External color displays **GT:** 84
 - External plotter control **GT:** 85
 - EXTERNAL procedures **WS I:** 236
 - External symbols **WS I:** 244

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

f

- f1 through f8 keys UG: 63
- Failure of TABLE program WS II: 148
- Fast drawing procedures GT: 56
- Feedback GT: 87
- FGRAPHICS modules PL: 15
- File buffer WS II: 104
- File directory WS I: 272
- File name WS II: 88
- File pointer WS II: 104
- File specification WS I: 29
- File states WS II: 105
- File system UG: 32
- File system:
 - Introduction WS I: 23
- File type WS II: 88
- File types WS I: 34, WS II: 114
- File window WS II: 104,105
- File:
 - Autostart files UG: 171,198
 - Changing a file name UG: 142,246
 - CODE UG: 153
 - Copying into Editor UG: 125
 - Creation UG: 120,233
 - Data files UG: 180
 - Deleting UG: 143,243
 - Description of UG: 32
 - Location of UG: 39,218
 - Name UG: 32,39,218
 - Printing UG: 147,254
 - Removing UG: 143,243
 - Specifying UG: 39,218
 - Storing UG: 234,237
 - Suffix suppression UG: 109
- Filecopy command UG: 48,141,
161,196,222,224,239
- Filecopy command (Filer) WS I: 115,116,135
- Filer:
 - Save command UG: 137
 - Access command WS I: 126
 - Bad sector command WS I: 128
 - Change command UG: 142,245
WS I: 119,129
 - Command summary WS I: 397
 - Confirming or aborting commands WS I: 104
 - Creating a Directory (SRM) WS I: 115
 - Deleting files WS I: 120
 - Description of UG: 108,133
 - Duplicate command WS I: 131
 - Duplicate_link WS II: 208
 - Entering UG: 53,133,206
 - Entering the Filer WS I: 104
 - Exiting UG: 53,148
 - Extended directory command WS I: 109,132
 - Filecopy command WS I: 113,116,135
UG: 46,141,161,196,222,239
 - Get command UG: 136, WS I: 139
 - Introduction WS I: 103
 - Krunch command UG: 144,249, WS I: 140
 - Ldir command UG: 138,247
 - Leaving the Filer WS I: 121
 - List directory command WS I: 108,142
 - Make command WS I: 144
 - Memory requirements UG: 261
 - New command UG: 146, WS I: 146
 - Prefix command WS I: 27,147
 - Prefix-vol command UG: 145,170
 - Prompt WS I: 104
 - Quit command WS I: 149
 - Quitting UG: 53
 - Remove command UG: 143,243, WS I: 150
 - Removing Files WS I: 120
 - Save command WS I: 152
 - SRM access Rights WS I: 110
 - Translate command UG: 147,254
WS I: 36,111,153
 - Unit directory command WS I: 155
 - Vols (Volumes) command UG: 43,
44,146,248
 - Volume back-up WS I: 113
 - Volumes command WS I: 24,157
 - What command WS I: 158
 - What devices are accessible? WS I: 105
 - Wildcards WS I: 111
 - Workfile WS I: 121
 - Zero command UG: 30, WS I: 159
- Files, introduction to WS II: 85
- Files:
 - Anonymous WS II: 104
 - APPEND WS II: 106,116
 - Classifications of WS II: 88
 - CLOSE WS II: 106
 - Concurrent access WS II: 116,118
 - Creating WS II: 90,94
 - Creating a text file WS I: 49

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

- Current component **WS II:** 104
- Current length **WS II:** 88
- Data portion of **WS II:** 86
- Debugging **WS II:** 117
- Deleting **WS I:** 120
- Detecting end-of-line **WS II:** 98
- Determining the existence of **WS II:** 134
- Direct (random) access **WS II:** 110
- Directory **WS II:** 88
- Errors **WS II:** 97
- Exclusive **WS II:** 116
- File specification (syntax) **WS I:** 124
- Fixed-record **WS II:** 88
- General Discussion **WS I:** 27
- GET **WS II:** 109
- INPUT **WS II:** 112
- Interchange between BASIC and Pascal
 - **WS I:** 371
- Item-oriented **WS II:** 88,90
- KEYBOARD **WS II:** 112
- LIF file names **WS I:** 32
- Line-oriented (text) **WS II:** 88,94
- LISTING **WS II:** 112
- LOCK **WS II:** 118
- LOCKABLE **WS II:** 118
- Locking **WS II:** 118
- LOOKAHEAD mode **WS II:** 103,105
- MAXPOS **WS II:** 112
- Names to avoid **WS I:** 39
- Naming Conventions **WS I:** 28
- Object (definition of) **WS I:** 272
- Object modules **WS I:** 165
- OPEN **WS II:** 106,107,116
- OUTPUT **WS II:** 112
- Overview of **WS II:** 86
- Passwords **WS II:** 116
- Position **WS II:** 104
- POSITION **WS II:** 112
- PUT **WS II:** 109
- READ **WS II:** 108
- READ mode **WS II:** 103,105
- REaddir **WS II:** 110
- Reading **WS II:** 91,96,115
- Records **WS II:** 86
- Removing **WS I:** 120
- Renaming **WS I:** 119
- RESET **WS II:** 107,116
- REWRITE **WS II:** 106,108,116
- SEEK **WS II:** 111
- Sequential operations **WS II:** 108
- SHARED **WS II:** 118
- Size specification **WS I:** 33, **WS II:** 104
- Specification **WS I:** 29
- SRM concurrent file access **WS I:** 46
- SRM names **WS I:** 33
- States **WS II:** 105
- Stream **WS I:** 15
- Stream Files **WS I:** 71
- Structure of text files **WS I:** 70
- Suffixes **WS I:** 34
- Suppressing the suffix **WS I:** 35
- Syntax of name **WS I:** 31
- System **WS II:** 139,149
- Temporary **WS II:** 104
- Text **WS II:** 113
- Translating between Data Types **WS I:** 36
- Types **WS I:** 31,34, **WS II:** 88,94
- Types of text **WS II:** 99
- Volume directory **WS II:** 88
- What are they? **WS II:** 86
- Wildcards **WS I:** 37,111
- Workfile **WS I:** 70,121,165
- WRITE **WS II:** 109
- WRITE mode **WS II:** 103,105
- WRITEDIR **WS II:** 110
- Writing **WS II:** 90,95
- WS1.0 file names **WS I:** 33
- FillGraph program **GT:** 78,172
- Filling, polygon **GT:** 74
- FillProg program **GT:** 76,171
- Find command (Editor) **WS I:** 81
- Fixed-record files **WS II:** 88
- Flags **WS I:** 298
- Flexible disc:
 - Formatting **UG:** 26,214
 - Handling **UG:** 10
 - Initialization **UG:** 26,214
 - Insertion **UG:** 12
 - Removing **UG:** 13
 - Selection **UG:** 38
 - unit number assignments **UG:** 43,219
 - Write-protection **UG:** 15
- Floating-point math card (HP 98635) **PL:** 15
- FLOAT_HDW (Compiler option) **WS I:** 189
- **PL:** 15
- Floppy discs (CTABLE) **WS II:** 182

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

Floppy drives (in the Unit Table) . . . **WS II:** 145
 Flow of programs **WS II:** 27
 FOR/DO **WS II:** 27
 Force, pen **GT:** 86
 Formats for structured variables (Debugger)
 **WS I:** 321
 Formats, internal numeric **WS II:** 32
 Formatted I/O **WS II:** 114
 Formatted input **PL:** 58
 Formatted output **PL:** 50-1
 Formatting discs **WS II:** 123
 Formatting option **UG:** 28,214
 Formatting:
 Flexible discs **UG:** 26,214
 Winchester (hard) discs **UG:** 26,216
 Frame buffer **GT:** 117,124,132
 Frame, window **GT:** 37
 Free-field input **PL:** 54-7
 Free-field output **PL:** 45-50
 Freedom, degrees of **GT:** 90
 Full-mode handshakes (GPIO) **PL:** 189
 Function calls **WS I:** 214
 Function results **WS I:** 215
 Functions **WS II:** 28
 Functions, numeric **WS II:** 42
 Functions, step **WS II:** 38
 Functions, string **WS II:** 72

g

Gamuts, color **GT:** 140
 General bus management (HP-IB) **PL:** 84
 GENERAL modules **PL:** 34,37
 General Value or Address Record (GVR)
 **WS I:** 299
 Generating Escapes (Debugger) . . . **WS I:** 325
 GET (file) **WS II:** 109
 Get command **UG:** 136
 Get command (Filer) **WS I:** 139
 GLOAD procedure **GT:** 68
 Global base **WS I:** 212
 Global space **WS I:** 20
 Global variables **WS I:** 13,18,212,229,230
 Glossary **WS I:** 401-6
 Glossary (Librarian) **WS I:** 295
 Go to local (HP-IB) **PL:** 85
 GOTO **WS II:** 27
 GPIO interface (select code 12) **PL:** 26,44
 GPIO:
 Configuration **PL:** 187
 Data input **PL:** 199
 Data output **PL:** 199
 Data representations **PL:** 199
 Description **PL:** 186
 Examples of I/O **PL:** 200,201
 Full-mode handshakes **PL:** 189
 Handshake lines **PL:** 188
 Handshakes **PL:** 187
 Interface reset **PL:** 198
 Interrupt priority **PL:** 187
 Introduction **PL:** 185
 IOREAD_BYTE and IOWRITE_BYTE
 registers **PL:** 205
 IOSTATUS and IOCONTROL registers
 **PL:** 204
 Logic sense **PL:** 187
 Peripheral status line **PL:** 188
 Pulse-mode handshakes **PL:** 191
 Select code **PL:** 187
 Special purpose lines **PL:** 202
 Grads **WS II:** 43
 GRAPH key **UG:** 66
 Graphics display device, selecting **GT:** 6
 Graphics dump **GT:** 82
 Graphics errors **WS I:** 411

Graphics input and output **WS II:** 152
 GRAPHICS key **GT:** 39
 Graphics key..... **UG:** 104
 GRAPHICS key **UG:** 82
 GRAPHICS Library, using..... **GT:** 4
 Graphics memory address **GT:** 69
 Graphics memory size **GT:** 69
 GRAPHICS modules..... **PL:** 15
 Graphics procedure quick reference.. **GT:** 221
 Graphics programming **PL:** 15
 Graphics tablet **GT:** 99
 Graphics, interactive..... **GT:** 87
 Graphics, Series 300 **WS II:** 257-8
 GRAPHICSERROR procedure **GT:** 244
 GRAPHICS_INIT procedure **GT:** 9,246
 GRAPHICS_TERM procedure..... **GT:** 9,247
 GRID procedure **GT:** 64
 Grids..... **GT:** 62
 GSTORE procedure **GT:** 68,83
 GstorProg program..... **GT:** 173
 GTEXT procedure **GT:** 15,25,32,50,248

h

Half-duplex (Datacomm) **PL:** 142
 Halftoning **GT:** 120
 HALT..... **WS II:** 136
 Handling flexible discs **UG:** 10
 Handshake characters (Datacomm)... **PL:** 132
 Handshake:
 Datacomm **PL:** 131,134
 General **PL:** 24
 GPIO..... **PL:** 187
 HP-IB..... **PL:** 81,90
 Serial..... **PL:** 158,166
 Hard disc (coalescing volumes) **WS II:** 146,147
 Hard disc drives (in Unit Table)... **WS II:** 145
 Hard disc partitioning **WS II:** 145,146,149,185
 Hard disc volumes (coalescing) ... **WS II:** 159
 Hard disc:
 Autostart file **UG:** 174
 Booting from..... **UG:** 164
 Copying Pascal system **UG:** 160,224
 Formatting **UG:** 26,216
 Initialization **UG:** 26,216
 Unit number assignments **UG:** 44,220

Hardcopy, color **GT:** 140
 Hardware **PL:** 21
 Heap **WS II:** 125
 Heap (addresses)..... **WS I:** 381
 Heap management..... **WS II:** 126
 HEAP_DISPOSE (Compiler option).....
 WS I: 190, **PL:** 13
 HEAP_DISPOSE (compiler option) **WS II:** 126
 HEX (function) **WS II:** 42
 Hierarchical directories (SRM) **WS I:** 41
 Hierarchy of math operations..... **WS II:** 35
 High-speed disc interface (configuration)
 WS II: 138
 Highlight characters..... **WS I:** 394
 Highlighting data curves..... **GT:** 79
 HIL keyboard interface **WS II:** 259
 HP 98203 key codes..... **WS II:** 267
 HP 98253 EPROM programmer card
 WS II: 154,226,227
 HP 98255 EPROM card **WS II:** 154,226,228
 HP 98259 Bubble memory card .. **WS II:** 217
 HP 98620 DMA interface **WS II:** 150
 HP 98622 GPIO interface..... **WS II:** 150
 HP 98624 HP-IB interface **WS II:** 151
 HP 98625 High-speed disc (HP-IB) interface
 WS II: 151,152
 HP 98625 interface (configuration) **WS II:** 138
 HP 98626 RS-232 serial interface **WS II:** 151
 HP 98627 Color output interface . **WS II:** 151
 HP 98627A RGB interface **GT:** 84
 HP 98628 Datacomm interface ... **WS II:** 151
 HP 98629 SRM interface **WS II:** 151
 HP 98630 Breadboard interface .. **WS II:** 151
 HP 98635 Floating-point math card.....
 WS II: 151, **PL:** 15
 HP 98644 differences (Serial) **PL:** 181
 HP 98644 RS232 serial interface.. **WS II:** 151
 HP Standard Pascal **WS II:** 8
 HP Systems Programming extensions **WS II:** 10
 HP-HIL **GT:** 223
 HP-HIL absolute locator..... **GT:** 225,250,
 281,282,286,301,325
 HP-HIL devices **UG:** 58
 HP-HIL digitizing..... **GT:** 87
 HP-HIL port **GT:** 223
 HP-Human Interface Link (HP-HIL) **WS II:** 174
 HP-IB address **PL:** 44

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

HP-IB interface description	PL: 25	Remote message	PL: 84
HP-IB interface, built-in (select code 7)	PL: 43	Remote state	PL: 89
HP-IB interface, optional (select code 8)	PL: 44	Secondary addresses	PL: 84
HP-IB:		Send command	PL: 98
Abort	PL: 86	Service request	PL: 92
Active controller	PL: 80,83	Service requested state	PL: 89
Address of interface	PL: 78,83	Status	PL: 83
Addressed to listen state	PL: 89	Summary of bus sequences	PL: 113
Addressed to talk state	PL: 89	System controller	PL: 80,83
Addressing to listen	PL: 81,82	System controller jumper/switch	PL: 78
Addressing to talk	PL: 81	Triggering	PL: 86
Advanced bus management	PL: 94	Unlisten and untalk messages	PL: 83
Attention line	PL: 91	HP98542 display	GT: 118
Attention message	PL: 80	HP98543 display	GT: 118
Auxiliary command register	PL: 109	HP98544 display	GT: 118
Bus line states	PL: 92	HP98545 display	GT: 118
Clear	PL: 86	HPIB modules	PL: 34,37
Commands (table)	PL: 96	HPM module	WS II: 12, PL: 13
Control thru Pascal	PL: 83	HSL color model	GT: 105,109,129
Data messages	PL: 81	Hue	GT: 105
Device selectors	PL: 79	Hyperbolic trig functions	WS II: 46
End or Identify	PL: 91		
Example bus sequences	PL: 81		
Explicit commands	PL: 98		
General bus management	PL: 84		
General I/O operations	PL: 79		
General rules	PL: 79		
Go to local	PL: 85		
Handshake	PL: 81		
Handshake lines	PL: 90		
Installation	PL: 78		
Interface clear	PL: 91		
Interface conditions	PL: 89		
Introduction	PL: 77		
IOCONTROL and IOSTATUS registers	PL: 99		
IOREAD_BYTE and IOWRITE_BYTE registers	PL: 103		
Listen and talk messages	PL: 81		
Local lockout	PL: 85		
Local lockout state	PL: 89		
Messages	PL: 94		
Multiple listeners	PL: 82		
Non-active controller	PL: 82		
Pass control	PL: 87		
Polling	PL: 87		
Remote enable	PL: 91		

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

i

- I/O (definition of) **PL: 22**
- I/O addresses **WS I: 378-9**
- I/O error handling **PL: 63**
- I/O errors **PL: 61**
- I/O events (errors and timeouts) **PL: 61**
- I/O library errors **WS I: 410**
- I/O Procedure Library:
 - GENERAL modules **PL: 34,36**
 - HPIB modules **PL: 34,37**
 - Initialization **PL: 35**
 - Introduction **PL: 33**
 - IODECLARATIONS module **PL: 38**
 - Organization **PL: 34**
 - SERIAL modules **PL: 35,38**
- I/O system errors **WS I: 409**
- I/O terminology **PL: 21**
- I/O timeouts **PL: 61,65**
- I/O, memory map **WS I: 378-9**
- ID PROM **WS II: 260**
- Identifying flexible disc drives **UG: 43**
- Identifying Winchester (hard) discs **UG: 44**
- IF (Compiler option) **WS I: 191**
- IF/THEN/ELSE **WS II: 27**
- Images, dumping **GT: 82**
- Images, storing and retrieving **GT: 68**
- IMPLEMENT **WS I: 299**
- Implementation of Pascal **WS II: 4**
- IMPORT **WS I: 299**
- IMPORT text **WS I: 226**
- IMPORT text command (Librarian) **WS I: 287**
- INCLUDE (Compiler option) **WS I: 192**
- INCLUDE files **GT: 5,7**
- INCLUDE files (Compiler) **WS I: 176**
- Indicator:
 - status **UG: 55**
- Initialization (I/O) **PL: 35**
- Initialization Library file (INITLIB) **WS II: 140**
- Initialize Command (Main Level) **WS I: 9**
- Initializing discs **WS II: 159**
- Initializing modules **WS I: 233**
- Initializing:
 - Winchester (hard) discs **UG: 26,216**
 - Flexible discs **UG: 26,214**
- Initiating connection:
 - Datacomm **PL: 137**
 - Serial **PL: 160**
- INITLIB file, module descriptions . . **WS II: 171**
- INITLIB file:
 - Adding modules for SRM **WS II: 210**
 - Adding modules to **WS II: 170**
 - Description of **WS II: 140**
 - Renaming **WS II: 168**
 - Required order of modules **WS II: 171**
- INITLIB modules **PL: 7**
- Input (defined) **PL: 22**
- INPUT (file) **WS II: 112**
- Input device selection **GT: 90**
- Input formats (Debugger) **WS I: 313**
- Input pixel **GT: 224**
- Input:
 - Characters **PL: 56**
 - Formatted **PL: 58**
 - Free-field **PL: 54-57**
 - Real numbers **PL: 54**
 - Skipping data **PL: 57**
 - Strings **PL: 55**
 - Termination **PL: 54**
 - Words **PL: 56**
- INPUT_ESC procedure **GT: 223,250**
- INQ_COLOR_TABLE procedure **GT: 254**
- INQ_PGN_TABLE procedure **GT: 256**
- INQ_WS procedure **GT: 13,34,37,51,258**
- INS C key **UG: 103**
- INS CHR key **UG: 92**
- INS L key **UG: 103**
- INS LN key **UG: 92**
- Insert char key **UG: 79**
- Insert command **UG: 120**
- Insert command (Editor) **WS I: 84**
- Insert line key **UG: 79**
- Inserting flexible discs **UG: 12**
- Inserting substrings **WS II: 80**
- Insrt command **UG: 120**
- Instruction cache (MC68020) **WS II: 257**
- Instruction syntax, Assembler **WS I: 237**
- Integer data type **WS II: 15**
- INTEGER numbers **WS II: 31**
- INTEGER-to-REAL conversions **WS II: 33**
- Integers (internal representation of) **PL: 29**
- Interactive graphics **GT: 87**
- Interchange of files **WS I: 371**
- Interface clear (HP-IB) **PL: 91**

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

- Interface conditions (HP-IB) **PL: 89**
Interface drivers **WS II: 150**
INTERFACE module **WS II: 13**
INTERFACE modules **PL: 14**
Interface reset:
 Datacomm **PL: 128**
 GPIO **PL: 198**
 HP-IB **PL: 99**
 Serial **PL: 160**
Interface text **WS I: 225,226, PL: 6,14**
Interface, Display Compatibility . . . **WS II: 264**
Interfaces, built-in (Series 300) . . . **WS II: 258**
Interfaces:
 Additional functions **PL: 24**
 Datacomm **PL: 117**
 Functional diagram **PL: 23**
 GPIO **PL: 26**
 HP-IB **PL: 25,77**
 Overview **PL: 25**
 Registers **PL: 59**
 Select codes **PL: 38,43**
 Serial **PL: 26**
 Why needed? **PL: 23**
Interfacing concepts **PL: 21**
Interleave factor **UG: 28,214,216**
Interleave, of discs **WS II: 121**
Internal numeric formats **WS II: 32**
Interrupt priority (GPIO) **PL: 187**
Interrupt processing overview (System devices)
 **PL: 213**
INT_LINE procedure **GT: 56,265**
INT_MOVE procedure **GT: 56,267**
INT_POLYGON procedure **GT: 269**
INT_POLYGON_DD procedure **GT: 272**
INT_POLYLINE procedure **GT: 276**
Invoking commands **UG: 209**
IO data types **PL: 38-42**
IO modules **PL: 14**
IOCHECK (Compiler option) **WS I: 193**
IOCHECK (compiler option) **WS II: 132**
IODECLARATIONS module **WS II: 13**
IODECLARATIONS modules **PL: 38**
IOERROR_MESSAGE **PL: 64**
IOESCAPECODE **PL: 63**
IOE_ISC **PL: 64**
IOE_RESULT **PL: 63**
IOREAD_BYTE and IOWRITE_BYTE registers:
 General **PL: 59**
 GPIO **PL: 205**
 HP-IB **PL: 103**
 Serial **PL: 168,173**
IORESULT **WS II: 131**
IOSTATUS and IOCONTROL registers:
 Datacomm **PL: 145**
 General **PL: 59**
 GPIO **PL: 204**
 HP-IB **PL: 99**
 Serial **PL: 169**
ISC_TABLE **PL: 39**
IsoProg program **GT: 60,182**
Isotropic scaling **GT: 10,59**
Item-oriented files **WS II: 88,90**
- j**
- JSR instruction **WS I: 213**
Julian day **WS II: 54**
Jump command (Editor) **WS I: 87**
Justifying labels **GT: 50**
JustProg program **GT: 53,188**

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

k

Katakana display characters **WS I:** 392-3
 Kernel (operating system) **WS II:** 140
 Key buffer (System devices) **PL:** 254
 Key codes (System devices) **PL:** 265
 Key correspondence table **UG:** 2,6
 Key labels **UG:** 65
 Key notations **WS I:** 1,306
 KEYBOARD (file) **WS II:** 112
 Keyboard (System devices) **PL:** 248
 KEYBOARD file **GT:** 90
 Keyboard interface (HIL) **WS II:** 259
 Keyboard interface (select code 2) **PL:** 43
 Keyboard label **UG:** 105
 Keyboard notation (Debugger) **WS I:** 327
 Keyboards:
 HP 46020A **UG:** 3,62
 HP 98203A **UG:** 3,84
 HP 98203B **UG:** 2,82
 Model 226/236 **UG:** 2,82
 Keypad, numeric **UG:** 78,91
 Keywords, Pascal **WS II:** 5
 Knob **UG:** 89,101, **WS I:** 54,68,
 GT: 88,90,228,280,302,327
 Knob (System devices) **PL:** 262
 Krunch command **UG:** 144,249
 Krunch command (Filer) **WS I:** 140

l

Label direction, setting **GT:** 48
 LABELJUSTIFY procedure **GT:** 50
 Labelling a plot **GT:** 43
 Labelling Axes **GT:** 25
 Labels, justifying **GT:** 50
 Labels:
 Bold **GT:** 19
 Centering **GT:** 17
 Direction of **GT:** 17
 Ldir command **UG:** 138,247
 LdirProg program **GT:** 49,192
 Leap year **WS II:** 56
 LEM programs **GT:** 73,76
 Length of string **WS II:** 73
 Length of strings **WS II:** 67

Letter case:
 Assembler **WS I:** 238
 Letter-case conversions **WS II:** 82
 LIBRARIAN file **WS I:** 299
 Librarian subsystem **UG:** 157,206,261
 Librarian:
 Adding modules to System Library **WS I:** 280
 Command summary **WS I:** 398
 Creating a Boot file **WS I:** 292
 Creating libraries **WS I:** 280
 DEF table **WS I:** 296
 DEF table command **WS I:** 287
 Define Source **WS I:** 296
 Detailed file information **WS I:** 286
 EXPORT **WS I:** 298
 EXT table **WS I:** 297
 EXT table command **WS I:** 287
 Flags **WS I:** 298
 General Value or Address Record (GVR)
 WS I: 299
 Glossary **WS I:** 296
 IMPLEMENT **WS I:** 299
 IMPORT **WS I:** 299
 IMPORT text command **WS I:** 287
 Introduction **WS I:** 271
 Invoking **WS I:** 278
 Libraries **WS I:** 272
 Linking object files together **WS I:** 283
 Main prompt **PL:** 9
 Making your own library **WS I:** 282
 Mass storage requirements **WS II:** 175
 Mass storage setup **WS I:** 279
 Object file **WS I:** 300
 Object module **WS I:** 300
 Purpose of **PL:** 3
 REF tables **WS I:** 301
 Reference Pointer **WS I:** 301
 Text Record **WS I:** 302
 Unassemble commands **WS I:** 288-91
 Using **PL:** 9
 What it does **WS I:** 272
 Libraries **WS II:** 142
 Libraries, Pascal **WS II:** 3
 Libraries, Pascal Workstation **WS II:** 11

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

- Libraries:
- Creating PL: 8
 - Overview PL: 3
 - LIBRARY WS I: 277, PL: 6,9
 - LIBRARY file WS II: 12
 - LIBRARY modules PL: 12
 - Library modules, overview WS II: 12
 - Library overview PL: 3
- Library:
- Definition of WS I: 272
 - Overview WS I: 272
 - System WS I: 302
- LIF file names WS I: 32
 - Limits of INTEGER values WS II: 31
 - Limits of REAL values WS II: 31
 - Limits, display GT: 33
 - Limits, numeric WS II: 47
 - Line drawing GT: 7
 - Line label, Assembler WS I: 238
 - LINE procedure GT: 8,32
 - Line Styles, selecting GT: 57
 - Line timeouts (Datacomm) PL: 130
 - Line value GT: 124
 - Line-oriented (text) files WS II: 88,94
 - LINENUM (Compiler option) WS I: 194
 - LINES (Compiler option) WS I: 195
 - Lines, clipping GT: 23
 - LINK instruction WS I: 213,231
 - Linking object files WS I: 283
 - LIST (Compiler option) WS I: 196
 - List directory command (Filer) WS I: 108,142
 - Listen addresses (HP-IB) PL: 81,82
 - LISTING (file) WS II: 112
 - Listing a directory UG: 138,247
- Listing files:
- On PRINTER WS I: 112
 - On screen WS I: 112
 - LN (function) WS II: 42,52
 - Loader/SEGMENTER errors WS I: 412
 - Loading a system WS II: 139
 - Loading Pascal system GT: 7
 - Loading subsystems UG: 206
 - Loading the Pascal system UG: 18
 - Local lockout (HP-IB) PL: 85
 - Local lockout state (HP-IB) PL: 89
 - Local printer timeouts (CTABLE) WS II: 183
 - Local printers (CTABLE) WS II: 182
 - Local variables WS I: 230
- Location counter symbol WS I: 242
 - Locator GT: 223
 - LOCATOR program GT: 95,193
 - Locators GT: 225,228
 - LOCATOR_INIT procedure GT: 223,278
 - LOCATOR_TERM procedure GT: 223,282
 - LOCK (file) WS II: 118
 - LOCK module WS II: 12
 - LOCKABLE (file) WS II: 118
 - Locking files WS II: 118
 - LOCKMODULE PL: 13
 - Logarithmic plotting GT: 64
 - Logarithms WS II: 52
 - Logic sense (GPIO) PL: 187
 - Logical units WS I: 25, WS II: 143
 - Logical volumes (hard discs) WS II: 145,146
 - LogPlot program GT: 66,196
 - LOOKAHEAD mode (files) WS II: 103,105
 - Loopback (Serial) PL: 167
 - LT instruction GT: 57
 - Luminosity GT: 105

m

- Magnetic discs WS II: 121
- Main Command Level WS I: 5, WS II: 141
- Main Command Level:
 - Compiler command UG: 108
 - Description of UG: 107
 - Editor command UG: 108
 - eXecute command UG: 26,39,108,252
 - Filer command UG: 108
 - Memvol command UG: 116,167,184,227
 - Newsysvol command UG: 112,117,135,185
 - Permanent command UG: 114,166,226
 - User restart command UG: 37,113
 - Version command UG: 115
 - What command UG: 110,168,228
- Main Level command summary WS I: 395
- Main Level commands WS I: 6
- Make command (Filer) WS I: 144
- MAKE_PIC_CURRENT procedure GT: 283
- Managing the heap WS II: 126
- Manual organization PL: 1
- Manual Overview WS I: 1,2

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

- Map, color GT: 125
- Margin command UG: 129
- Margin command (Editor)..... WS I: 88
- MARK WS II: 126
- MARK (procedure) PL: 13
- MARKER procedure GT: 79,284
- MarkrProg program GT: 80,198
- Mass storage PL: 8
- Mass storage (organization)..... WS II: 87
- Mass storage:
 - Comparison WS II: 216
 - Configuration WS II: 152
 - Introduction WS I: 23
 - Volumes WS I: 24
- Match character transfers PL: 76
- Math hierarchy WS II: 35
- Maximum (function)..... WS II: 47
- MAXPOS (file) WS II: 112
- MC68010 WS II: 257
- MC68020 WS II: 257
- MC68881 WS I: 239,249
- MC68881 co-processor WS II: 268
- MEDIAINIT WS II: 123
- MEDIAINIT program ... UG: 214, WS II: 159
- MEDININIT program UG: 26,216
- MEMAVAIL function WS I: 381
- Memory (RAM) WS I: 23
- Memory address, graphics GT: 69
- Memory characteristics WS I: 23
- Memory map (physical) WS I: 375
- Memory map (RAM) WS I: 375-6
- Memory map (ROM)..... WS I: 377
- Memory map (software)..... WS I: 381
- Memory requirements, subsystem ... UG: 261
- Memory size, graphics GT: 69
- Memory volume command (Main Level).....
 - WS I: 10
- Memory volumes WS II: 176
 - UG: 116,167,184,227
- Memory, Bubble WS II: 154
- Memory, EPROM WS II: 154
- Memory-mapped I/O..... WS I: 378-9
- Memvol command UG: 116,167,184,227
- Menu key UG: 64
- Menus (System devices) PL: 240
- Messages (HP-IB) PL: 94
- Micro disc:
 - Formatting UG: 26
 - Initialization UG: 26
 - Insertion UG: 12
 - Removing UG: 13
 - Write-protection UG: 15
- Mini disc:
 - Formatting UG: 26
 - Initialization UG: 26
 - Insertion UG: 14
 - Removing UG: 14
 - Write-protection UG: 17
- Minimum (function) WS II: 47
- MOD (operator) WS II: 42
- Models 216 and 217 differences (Serial) PL: 184
- Models, color GT: 104,109
- Modem handshake (Serial)..... PL: 161
- Modem line control (Serial) PL: 166
- Modem status and control (Serial).... PL: 157
- Modem-line handshakes (Serial) PL: 166
- Modes, drawing GT: 55
- Module Dependency Table GT: 347
- Modules, incompatible WS II: 268
- Modules:
 - Adding to the System Library PL: 9
 - ALLOCATE PL: 17
 - Assembler WS I: 225
 - Compiling PL: 6
 - Dependency table PL: 20
 - Developing and testing WS I: 170
 - Device drivers WS II: 140
 - Directory PL: 3
 - Examples WS I: 169,170,174,263-270,272
 - Examples (on DOC disc)..... PL: 3
 - FGRAPHICS PL: 15
 - File sizes PL: 8
 - GENERAL PL: 34,36
 - GRAPHICS PL: 15
 - How the Compiler finds them PL: 6
 - WS I: 275
 - How the loader finds them WS I: 277, PL: 7
 - HPIB PL: 34,37
 - HPM PL: 13
 - Importing WS I: 273-7, PL: 4
 - Initialization WS I: 233
 - INITLIB WS II: 140
 - INITLIB module descriptions ... WS II: 171
 - INTERFACE PL: 14

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

n

IO.....	PL: 14,34	NEW	WS II: 126
IODECLARATIONS	PL: 38	NEW (procedure).....	PL: 13
LAST (in INITLIB).....	WS II: 141	New command.....	UG: 146
LIBRARY	PL: 12	New command (Filer).....	WS I: 146
LOCKMODULE.....	PL: 13	New sysvol Command (Main Level)	WS I: 12
Making them accessible.....	PL: 6,7,18,19	Newsysvol command ..	UG: 112,117,135,185
Names used by operating system	WS I: 373	No room on volume	UG: 144
Object (definition of).....	WS I: 272	Non-active controller (HP-IB).....	PL: 82
Overview.....	PL: 3	Non-data characters (Datacomm)	PL: 132
Pascal	WS I: 300	Non-disc mass storage.....	WS II: 215
PRINTER.....	WS II: 151	Non-separable degrees of freedom....	GT: 93
Required order in INITLIB	WS II: 171	Non-square pixels.....	GT: 119
RND.....	PL: 12	Number-base (logarithms).....	WS II: 53
SEGMENTER.....	PL: 17	Number-base conversion.....	WS II: 57
Separate compilation.....	WS I: 172	Numbers (internal representation of)...	PL: 28
SERIAL	PL: 35,38	Numbers, random	WS II: 60
Standard.....	PL: 12	Numeric comparisons.....	WS II: 40
Strategy for compiling.....	WS I: 170	Numeric computation.....	WS II: 31
Structure of	WS I: 167	Numeric data types	WS II: 31
SYSDEVS.....	PL: 211	Numeric formats, internal	WS II: 32
SYSGLOBALS	PL: 211	Numeric keypad	UG: 78,91
UIO	PL: 13	Numeric operators	WS II: 37
Monadic numeric operators.....	WS II: 37	Numeric variable declarations.....	WS II: 32
Monochromatic color table defaults ..	GT: 103	Numeric-to-character conversions ..	WS II: 78
Monochrome highlight characters ..	WS I: 394	Numeric-to-string conversions.....	WS II: 78
Mouse.....	UG: 58,70,71,75, WS I: 54,68, WS II: 174, GT: 88,90,228,280,302,327	Numerical functions	WS II: 42
MOVE procedure.....	GT: 8,32,285		
Moving files	WS I: 116		
Multi-line objects	GT: 72		
Multiple listeners (HP-IB)	PL: 82		
Multiple on-line systems	WS II: 149		

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

O

Object file **WS I:** 300, **PL:** 3,7
 Object module **WS I:** 300
 Object module (definition of) **WS I:** 272
 Object-code compatibility **WS II:** 267
 OCTAL (function) **WS II:** 42
 ODD (function) **WS II:** 42
 Offset (in ADDR function) **WS II:** 20
 On-Line devices **WS I:** 9
 Opcode:
 Assembler **WS I:** 237,239
 Co-processor **WS I:** 239
 Processor **WS I:** 239
 Size suffixes **WS I:** 240
 OPEN (file) **WS II:** 106,107,116
 Operand components, Assembler . . **WS I:** 246
 Operand(s):
 Components **WS I:** 241
 Constants **WS I:** 241
 Description **WS I:** 237,241
 Location counter symbol **WS I:** 242
 Symbol type **WS I:** 243
 Symbols **WS I:** 242
 Operating parameters (Datacomm) . . **PL:** 126
 Operating system kernel **WS II:** 140
 Operators, numeric **WS II:** 37
 OPTIONS module (CTABLE) **WS II:** 181
 Other manuals **WS I:** 1,2
 OTHERWISE **WS II:** 27
 OUTPUT (file) **WS II:** 112
 Output:
 Characters **PL:** 48
 Data types supported **PL:** 45
 Definition of **PL:** 22
 Formatted **PL:** 50-1
 Free-field **PL:** 45-50
 General **PL:** 45
 Real numbers **PL:** 46
 Strings **PL:** 47
 Words **PL:** 48
 OUTPUT_ESC procedure **GT:** 39,
 55,82,85,223,286

Overflow errors **WS II:** 34
 Overlap transfers **PL:** 74
 Overview of files **WS II:** 86
 Overview of manual **PL:** 1
 Overwriting files **UG:** 138
 OVFLCHECK (Compiler option) . . **WS I:** 197

P

P-load (modules) **PL:** 7
 PAC, reading from files **WS II:** 115
 Packed variables **WS II:** 18
 PAGE (Compiler option) **WS I:** 198
 Page command (Editor) **WS I:** 89
 PAGESWIDTH (Compiler option) . . **WS I:** 199
 Parameter passing **WS I:** 214, **WS II:** 38
 Parameters, passing **WS II:** 28
 Parity (Datacomm) **PL:** 118,123,135
 Parity (Serial) **PL:** 156,158,161
 PARTIAL_EVAL (Compiler option) **WS I:** 200
 Partitioning, hard discs **WS II:** 145,146,149,185
 Partitioning, hard discs (designing your own)
 WS II: 188
 Partitioning, hard discs (recommendations) . . .
 WS II: 188
 Partitioning, hard-discs **WS II:** 159
 Pascal 1.0 (description) **WS I:** 357
 Pascal 2.0 (description) **WS I:** 359
 Pascal 3.0 (description) **WS I:** 362
 Pascal 3.01 (description) **WS I:** 366
 Pascal 3.1 (description) **WS I:** 367
 Pascal compiler options **WS II:** 9
 Pascal extensions **WS II:** 6
 Pascal file system **UG:** 32
 Pascal Graphics Techniques manual . . . **PL:** 15
 Pascal implementation **WS II:** 1
 Pascal keywords **WS II:** 5
 Pascal stack **WS I:** 212
 Pascal system backup **UG:** 46,222
 Pascal system history **WS I:** 357
 Pascal system, loading **GT:** 7
 Pascal Workstation libraries **WS II:** 3,11
 Pascal, ANSI/ISO **WS II:** 4
 Pascal, HP Standard **WS II:** 8

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

- Pascal:
- Description of extensions **WS I:** 161
 - Module **WS I:** 300
 - Source program **WS I:** 186
 - Volumes **WS I:** 24
 - Pass control (HP-IB) **PL:** 87
 - Passing arrays **WS II:** 21
 - Passing parameters . . **WS I:** 228, **WS II:** 28,38
 - Passwords (on files) **WS II:** 116
 - Passwords (SRM files) **WS I:** 46
 - PAUSE key **UG:** 83
 - Pen acceleration, controlling **GT:** 86
 - Pen force, controlling **GT:** 86
 - Pen speed, controlling **GT:** 85
 - Peripheral drivers **WS II:** 151
 - Peripheral status line (GPIO) **PL:** 188
 - Permanent command **UG:** 114,166,226, **GT:** 4
 - Permanent Command (Main Level) **WS I:** 13
 - Permanently loading subsystems
UG: 114,165,226
 - Photographing the CRT **GT:** 141
 - Physical memory map **WS I:** 375
 - Pixel **GT:** 11,75
 - Pixel pairs **GT:** 119
 - PLineProg program **GT:** 71,199
 - Plot Labelling **GT:** 43
 - Plotter control **GT:** 85
 - Plotter, selecting a **GT:** 81
 - Plotters **GT:** 116
 - Plotting and the CRT **GT:** 141
 - Pointer (file) **WS II:** 104
 - Pointers **WS II:** 125
 - Polling (HP-IB) **PL:** 87
 - Polygon filling **GT:** 74
 - Polygon interiors **GT:** 124
 - POLYGON procedure **GT:** 72,74,292
 - Polygons **GT:** 135
 - POLYGON_DEV_DEP procedure **GT:** 74,295
 - POLYLINE procedure **GT:** 71,299
 - PolyProg program **GT:** 73,200
 - Porting to Series 300 **WS II:** 255
 - POSITION (file) **WS II:** 112
 - Position (in string) **WS II:** 73
 - Position of file **WS II:** 104
 - Powerfail (System devices) **PL:** 280
 - Precedence of math operations **WS II:** 35
 - Precision and accuracy **WS II:** 34
 - Prefix command (Filer) **WS I:** 27,147
 - Prefix volume **UG:** 145, **WS I:** 26
 - Prefix-vol command **UG:** 145,170
 - Preventing data loss (Datacomm) **PL:** 140
 - Primary DAMs **WS II:** 155
 - Primary storage (RAM) **WS II:** 86
 - Printer listings **UG:** 152,190,250
 - PRINTER volume **UG:** 146
 - Printers:
 - Changing the System Printer . . . **WS II:** 153
 - General **WS II:** 151
 - Serial devices **WS II:** 153 - Printing a file **UG:** 147,254
 - Private links (Datacomm) **PL:** 135
 - Problems:
 - Compiler **WS I:** 177
 - File names to avoid **WS I:** 39
 - Insufficient global space **WS I:** 178
 - No room on volume **WS I:** 40
 - Not Enough Memory **WS I:** 178
 - Syntax errors **WS I:** 163
 - TABLE program **WS II:** 148 - Procedure CALL **WS II:** 30
 - Procedure calls (effects on stack) . . **WS I:** 213
 - Procedure Library **PL:** 12
 - Procedure variables **WS II:** 30
 - Procedures **WS II:** 28
 - Procedures, EXTERNAL **WS I:** 236
 - Processor boards, Series 300 **WS II:** 257
 - Processor, 68020 **WS I:** 237
 - Program flow **WS II:** 27
 - Programming helps (Datacomm) **PL:** 140
 - Programming system **WS I:** 225
 - Programming techniques **PL:** 159
 - Programming with files **WS II:** 85
 - Programs:
 - Backing up **UG:** 196
 - Creation **UG:** 121,149,182
 - Editing environment **UG:** 128
 - Listings **UG:** 152,190,250
 - Permanently loading **UG:** 114,226
 - Running **UG:** 113,155,191,194,252 - PROM, ID **WS II:** 260
 - Prompt recognition (Datacomm) **PL:** 132

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

r

Prompts:

Aborting	UG: 41,213
Date	WS I: 20
Debugger	WS I: 308
Default values	UG: 41,213
Editor	WS I: 49
Filer	WS I: 104
Main Level	WS I: 5
Responding to	UG: 40,212
Straight question type	UG: 40,212
Time	WS I: 20
Value range type	UG: 41,213
Yes/No type	UG: 41,212
Protocol (Datacomm)	PL: 118,128
Protocol (Serial)	PL: 158
PSE key	UG: 95
Pseudo-random numbers	WS II: 60
Pulse-mode handshakes (GPIO)	PL: 191
PUT (file)	WS II: 109

q

Quantizable degrees of freedom	GT: 94
Question mark wildcard	UG: 163,240
Questions (prompts)	UG: 40,212
Queue (Debugger)	WS I: 310
Quick reference, graphics procedures	GT: 222
Quit command	UG: 208
Quit command (Editor)	WS I: 90
Quit command (Filer)	WS I: 149
Quotes (in strings)	WS II: 68

Radians	WS II: 43
RAM memory	WS I: 23
RAM memory map	WS I: 375-6
RAM volumes	UG: 116,167,184,227
RAND (function)	WS II: 60, PL: 12
RANDOM (procedure)	WS II: 60, PL: 12
Random numbers	WS II: 60
RANGE (Compiler option)	WS I: 201
Range limits	WS II: 47
Range of addresses	WS I: 375
Range of device selectors	PL: 39
Range of INTEGER numbers	WS II: 31
Range of REAL numbers	WS II: 31
Range of select codes	PL: 38
Raster images, dumping	GT: 82
Ratio, aspect	GT: 34,60,99
RCL key	UG: 100
READ (file)	WS II: 90,108
READ mode (files)	WS II: 103,105
READDIR (file)	WS II: 110
Reading buffers	PL: 70
Reading files	WS II: 91,96,115
Real data type	WS II: 15
REAL numbers	WS II: 31
Real numbers (internal representation of)	PL: 29
REAL numbers, truncating	WS II: 47
REAL-to-INTEGER conversions	WS II: 33
RECALL key	UG: 66,88
Record constants	WS II: 17
Records, in files	WS II: 86
RECOVER	WS II: 129, PL: 62
Rectangular coordinates	GT: 6
Reducing strings	WS II: 81
REF (Compiler option)	WS I: 202
REF tables	WS I: 301
Reference Pointer	WS I: 301
References, color	GT: 142
Register symbols	WS I: 242
Registers:	
Common definitions	PL: 60
Datacomm	PL: 145
General	PL: 59
GPIO	PL: 204
Hardware vs. I/O System	PL: 59
HP-IB	PL: 99
Serial	PL: 169

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

Relative locators **GT:** 88,90,228,280,302,327
 Relative symbols **WS I:** 244
 Relaxed typechecking **WS II:** 28
 RELEASE **WS II:** 126,128
 RELEASE (procedure) **PL:** 13
 Remote enable (HP-IB) **PL:** 91
 Remote message (HP-IB) **PL:** 84
 Remote state (HP-IB) **PL:** 89
 Remove command **UG:** 143,243
 Remove command (Filer) **WS I:** 150
 Removing a file **UG:** 143,243
 Removing Files **WS I:** 120
 Removing flexible discs **UG:** 13
 Renaming a file or volume **UG:** 142,246
 Renaming BOOT files **WS II:** 168
 Renaming files **WS I:** 119
 Renaming volumes **WS I:** 119
 REPEAT/UNTIL **WS II:** 27
 Replace command (Editor) **WS I:** 92
 Reserved words, Pascal **WS II:** 5
 RESET (file) **WS II:** 96,107,116
 Reset key **UG:** 72
 RESET key **UG:** 87
 Reset:
 Datacomm **PL:** 128
 GPIO **PL:** 198
 HP-IB **PL:** 99
 Serial **PL:** 160
 Resolution of color models **GT:** 129
 Resource **PL:** 43
 Responding to prompts **UG:** 40,212
 Retrieving and storing images **GT:** 68
 Return key **UG:** 70
 Reversing strings **WS II:** 82
 REWRITE (file) **WS II:** 90,94,103,106,108,116
 RGB color model **GT:** 104,109,129
 RGB interface **GT:** 84
 RND module **WS II:** 12, **PL:** 12
 ROM **WS II:** 139
 ROM addresses **WS I:** 377
 ROM memory map **WS I:** 377
 Roman 8 character set **UG:** 77
 Root (numeric) **WS II:** 52
 Rotation of labels **GT:** 17
 Rotation, label **GT:** 48
 ROUND (function) **WS II:** 42
 Rounding **WS II:** 33,49

RS-232 Serial:
 98626 interface **PL:** 155
 98644 interface **PL:** 155,181
 Built-in (Models 216 and 217) **PL:** 184
 Introduction **PL:** 155
 UART **PL:** 155
 RS-232C cable signals (Datacomm) **PL:** 143
 RST key **UG:** 99
 Rubber echoes **GT:** 98
 Run command **UG:** 253
 Run Command (Main Level) **WS I:** 14
 RUN key **UG:** 84,96
 Run light (System devices) **PL:** 242
 Run-time errors **UG:** 191, **WS I:** 408
 Running demonstration programs **GT:** 4
 Running programs **UG:** 191,194
 Running stored programs **UG:** 113,155,252

S

SAMPLE_LOCATOR procedure **GT:** 223,301
 Saturation **GT:** 105
 Save command **UG:** 137
 Save command (Filer) **WS I:** 152
 SAVE_CONST (Compiler option) **WS I:** 203
 Scalar data types **WS II:** 15
 Scaling **GT:** 9
 Scaling, isotropic **GT:** 59
 SCANSTUFF module (CTABLE) **WS II:** 192
 Schema (for conformant array) **WS II:** 22
 Screen dump **GT:** 82
 Screen dumps (Debugger) **WS I:** 310
 Screen organization **UG:** 54
 SEARCH (Compiler option) **WS I:** 204
 SEARCH Compiler option **PL:** 6
 Search-and-replace operations **WS II:** 83
 SEARCH_SIZE (Compiler option) **WS I:** 205
 Secant **WS II:** 44
 Secondary (mass) storage **WS II:** 86
 Secondary addresses (HP-IB) **PL:** 84
 Secondary channel (Datacomm) **PL:** 142
 Secondary DAMs **WS II:** 155
 SEEK (file) **WS II:** 92,111

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

Segmentation:

Calling a procedure	PL: 299
Calling a program	PL: 297
Checking a procedure variable	PL: 300
Errors	PL: 304
Free space	PL: 297
Initialization	PL: 297
Introduction	PL: 295
Searching for a procedure name	PL: 300
Unloading segments	PL: 303
Using the explicit code area	PL: 301
Using the heap	PL: 302
Using the stack	PL: 297
WARNING - You're on your own	PL: 297
SEGMENTER module	WS II: 13, PL: 17
Select codes	PL: 38,43
Select key	UG: 55,71
Selecting graphics display device	GT: 6
Self test (during boot)	WS II: 139
Self-test (Serial)	PL: 167
Send command (HP-IB)	PL: 98
Separability (degrees of freedom)	GT: 93
Separable degrees of freedom	GT: 93
Sequential file operations	WS II: 108
Serial interface configuration	WS II: 262
Serial interfaces	PL: 26,44
SERIAL modules	PL: 35,38
Serial printer	UG: 42
Serial printers	WS II: 153
Serial transfers	PL: 72
Serial:	
98626 interface	PL: 155
98644 interface	PL: 155,181
Baud rate	PL: 157,160
Break messages	PL: 165
Built-in (Models 216 and 217)	PL: 184
Cable options	PL: 177
Character format	PL: 156,158,161
Data input	PL: 163
Data output	PL: 162
DCE cable	PL: 178
DTE cable	PL: 177
Error handling	PL: 163
Handshake	PL: 158,166
HP 98644 differences	PL: 181
Initializing the connection	PL: 160
Interface reset	PL: 160
Introduction	PL: 155

IOREAD_BYTE and IOWRITE_BYTE registers	PL: 168,173
IOSTATUS and IOCONTROL registers	PL: 169
Loopback	PL: 167
Models 216 and 217 differences	PL: 184
Modem handshake	PL: 161
Modem line control	PL: 166
Modem status and control	PL: 157
Modem-line handshakes	PL: 166
Parity	PL: 158,161
Parity bit	PL: 156
Programming techniques	PL: 159
Self-test	PL: 167
Signal functions	PL: 177
Software handshake	PL: 158,161,165
Special applications	PL: 165
Special characters	PL: 165
Start bit	PL: 156
Status-Line Disconnect switches	PL: 157
Stop bits	PL: 156
Transferring data	PL: 162
Series 200/300 Pascal implementation	WS II: 4
Series 300 computers	WS II: 256
Service request (HP-IB)	PL: 92
Service requested state (HP-IB)	PL: 89
Set command (Editor)	WS I: 95
Set constants	WS II: 17
Set environment command	UG: 127
SET_ASPECT procedure	GT: 11,14,33,303
SET_CHAR_SIZE procedure	GT: 16, 44,46,50,305
SET_COLOR procedure	GT: 101,116,306
SET_COLOR_MODEL procedure	GT: 103,309
SET_COLOR_TABLE procedure	GT: 55, 103,116,311
SET_DISPLAY_LIM procedure	GT: 24,33,315
SET_ECHO procedure	GT: 99
SET_ECHO_POS procedure	GT: 318
SET_LINE_STYLE procedure	GT: 57,320
SET_LINE_WIDTH procedure	GT: 324
SET_LOCATOR_LIM procedure	GT: 99, 223,325
SET_PGN_COLOR procedure	GT: 101, 116,329
SET_PGN_LS procedure	GT: 332
SET_PGN_STYLE procedure	GT: 75,336
SET_PGN_TABLE procedure	GT: 337

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

- SET_TEXT_ROT procedure... **GT:** 17,48,340
- SET_TIMING procedure **GT:** 341
- SET_VIEWPORT procedure **GT:** 14,34,37,343
- SET_WINDOW procedure **GT:** 9,14,
34,35,47,59,345
- Shading graphs **GT:** 78
- SHARED (file) **WS II:** 118
- Shared file access **WS II:** 116,118
- SHIFT key **UG:** 102
- Shift key **UG:** 76
- SHIFT key **UG:** 90
- Shuffling algorithm **WS II:** 62
- Signal functions:
- Datacomm **PL:** 143
 - Serial **PL:** 177
- Simulating errors **WS II:** 136
- SIN (function) **WS II:** 42
- SinAspect program **GT:** 12,201
- SinAxes1 program **GT:** 22,202
- SinAxes2 program **GT:** 26,206
- SinClip program **GT:** 24,211
- Single stepping a program **WS I:** 309
- SinLabel1 program **GT:** 15,215
- SinLabel2 program **GT:** 16,18,216
- SinLabel3 program **GT:** 19,217
- SinLine program **GT:** 8,218
- SinViewpt program **GT:** 218
- SinWindow program **GT:** 10,219
- Size of types **WS II:** 19
- Size of variables **WS II:** 19
- Size specificatin (files) **WS II:** 104
- Size suffixes of opcodes **WS I:** 240
- Sizeof (function) **WS II:** 19
- Skipping data (during input) **PL:** 57
- Slow program execution **WS I:** 309
- Software **PL:** 21
- Software handshake:
- Datacomm **PL:** 131
 - Serial **PL:** 158,161,165
- Software libraries **WS II:** 11
- Software memory map **WS I:** 381
- Software overview **WS II:** 1
- Solution vector **GT:** 121
- Source (of I/O operations) **PL:** 22
- Source file **PL:** 3
- Source program **WS I:** 162
- Source text **PL:** 6
- Special configurations:
- Definition of **WS II:** 137
 - Examples **WS II:** 137,149
 - Introduction **WS II:** 137
- Special purpose lines (GPIO) **PL:** 202
- Special transfers **PL:** 76
- Specification:
- file **UG:** 39,218
- Specifying files **UG:** 39,218
- Speed, pen **GT:** 86
- SQR (function) **WS II:** 42
- SQRT (function) **WS II:** 42
- SRM access rights (on files) **WS II:** 120
- SRM concurrent files **WS II:** 118
- SRM:
- Access rights **WS I:** 46,110
 - Concurrent file access **WS I:** 46
 - Configuration requirements **WS II:** 153
 - Creating a Directory **WS I:** 115
 - Current working volume **WS I:** 43
 - Default volume **WS I:** 45
 - Directories **WS I:** 41
 - Directory configuration **WS II:** 204
 - Directory structure **WS I:** 41
 - Example configuration **WS II:** 201
 - File names **WS I:** 33
 - File notation **WS I:** 42
 - Hardware setup **WS II:** 201
 - Installing driver modules **WS II:** 203
 - Multi-disc **WS II:** 213
 - Multiple unit numbers **WS II:** 194
 - Overview of installation **WS II:** 202
 - Passwords **WS I:** 46
 - Unit numbers **WS I:** 42
 - Volumes **WS I:** 42
- Stack **WS II:** 125
- Stack (addresses) **WS I:** 381
- Stack (How Pascal uses it) **WS I:** 212
- Stack frame (Debugger) **WS I:** 318
- STACKCHECK (Compiler option)
WS I: 206,212
- STACKCHECK ON (Compiler option)
WS I: 213
- Standard auto-configuration **WS II:** 143
- Standard configurations (definition of)
WS II: 137
- Standard modules **PL:** 12

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

- Standard partitioning, hard discs . . . **WS II:** 186
- Standard scalar types **WS II:** 15
- Start bit:
 - Datacomm **PL:** 118
 - Serial **PL:** 156
- STARTUP file **WS II:** 141,168
- States of files **WS II:** 105
- Static and dynamic links (Debugger) **WS I:** 323
- Static links (Compiler) **WS I:** 217
- Static variables **WS II:** 125
- Status (HP-IB) **PL:** 83
- Status indicator **UG:** 55
- Status-Line Disconnect switches (Serial) **PL:** 157
- Step functions **WS II:** 38
- STEP key **UG:** 66,84,96
- Stop bits:
 - Datacomm **PL:** 123
 - Serial **PL:** 156
- STOP key **UG:** 4
- Stop key **UG:** 54,73
- STOP key **UG:** 88,99
- Stopping **UG:** 4
- Storage requirements (strings) **WS II:** 69
- Storage-order directory listing **UG:** 140
- Storing a workfile **UG:** 137
- Storing and retrieving images **GT:** 68
- STR (function) **WS II:** 72
- Straight question prompts **UG:** 40,212
- STRAPPEND (function) **WS II:** 79
- Stream Command (Main Level) **WS I:** 15
- Stream files **WS I:** 71, **WS II:** 142,170
- String arrays **WS II:** 69
- String assignment **WS II:** 67
- String comparisons **WS II:** 71
- String concatenation **WS II:** 70
- String functions **WS II:** 72
- String functions, user-defined **WS II:** 82
- String length **WS II:** 67,73
- String repeat **WS II:** 79
- String reverse **WS II:** 82
- String storage requirements **WS II:** 69
- String trim **WS II:** 79
- String variables **WS II:** 67
- String variables, declaring **WS II:** 69
- String, search-and-replace **WS II:** 83
- String-to-numeric conversions **WS II:** 75
- STRING-to-PAC conversions **WS II:** 80
- Strings, combining **WS II:** 79
- Strings, contatenating **WS II:** 80
- Strings, inserting **WS II:** 80
- Strings, reducing **WS II:** 81
- Strings, trimming **WS II:** 81
- STRINSERT (function) **WS II:** 79
- STRLEN procedure **GT:** 17
- STRLTRIM (function) **WS II:** 79
- STRMOVE (function) **WS II:** 81
- STRPOS (function) **WS II:** 73
- STRREAD (function) **WS II:** 75
- STRRPT (function) **WS II:** 79
- STRRTRIM (function) **WS II:** 79
- STRWRITE procedure **GT:** 25
- Substring position **WS II:** 73
- Substrings **WS II:** 72
- Subsystems **WS I:** 5
- Subsystems:
 - Definition **UG:** 51
 - Exiting **UG:** 208
 - Loading **UG:** 206
 - Memory requirements **UG:** 261
 - Permanently loading **UG:** 114,165,226
- Suffix Suppression **WS I:** 35
- Suffix suppression **UG:** 109
- Suffixes **WS I:** 34
- Summary of bus sequences (HP-IB) . . . **PL:** 113
- Summary:
 - Debugger commands **WS I:** 331
 - Editor commands **WS I:** 72
 - Filer Commands **WS I:** 122
 - Librarian commands **WS I:** 293-5
- Supported features (System devices) **PL:** 210
- Suppressing file suffixes **UG:** 109
- SWITCH_STRPOS (Compiler option) **WS I:** 207, **WS II:** 73
- SWITCH_STRPOS (compiler option) **WS II:** 73
- Symbol types:
 - Absolute **WS I:** 243
 - External **WS I:** 244
 - Register **WS I:** 243
 - Relative **WS I:** 244
 - User-defined **WS I:** 243
- Symbols **WS I:** 242
- Syntax diagram (explanation) **WS I:** 7
- Syntax errors **UG:** 187
- SYSDEVS module **WS II:** 13
- SYSGLOBALS **PL:** 211
- SYSPROG (Compiler option) **WS I:** 208, **PL:** 62

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

- System addresses **WS I:** 381
- System Boot file **WS II:** 140,149
- System BOOT files, renaming **WS II:** 168
- System controller (HP-IB) **PL:** 78,83
- System date, setting **UG:** 24,204
- System devices:
 - Battery commands **PL:** 283
 - Battery features **PL:** 280
 - Beeper **PL:** 217
 - Bit-mapped display parameters **PL:** 237
 - Changing display parameters **PL:** 237
 - Clock **PL:** 219
 - Cursor control **PL:** 238
 - Date and time **PL:** 219
 - Debugger window **PL:** 243
 - Direct clock access **PL:** 222
 - Display **PL:** 234
 - Display control characters **PL:** 234
 - Display parameters **PL:** 236
 - Display status area **PL:** 241
 - Display types **PL:** 234
 - Dumping the display **PL:** 238
 - Example programs **PL:** 211
 - Hooks **PL:** 213
 - Interrupt masks **PL:** 215
 - Interrupt processing overview **PL:** 213
 - Interrupts (enabling) **PL:** 215
 - Introduction **PL:** 209
 - ISR **PL:** 214
 - Key actions **PL:** 268
 - Key buffer **PL:** 254
 - Key buffer I/O hooks **PL:** 255
 - Key codes **PL:** 265
 - Key translation hook **PL:** 257
 - Keyboard **PL:** 248
 - Keyboard ISR hook **PL:** 251
 - Keyboard poll hook **PL:** 252
 - Keyboard request hook **PL:** 249
 - Keyboard types **PL:** 248
 - Keyboards **PL:** 264
 - Knob **PL:** 262
 - Language table **PL:** 260
 - Language types **PL:** 248
 - Last line of display **PL:** 238
 - Menus **PL:** 240
 - Missed timer interrupts **PL:** 228
 - Module **PL:** 211
 - Periodic timer **PL:** 230
 - Powerfail **PL:** 280
 - Run light **PL:** 242
 - Simplified debugger window **PL:** 247
 - Supported features **PL:** 210
 - SYSDEVS source listing **PL:** 286
 - System timer example **PL:** 232
 - Timer ISR **PL:** 227
 - Timer operations **PL:** 225
 - Timers **PL:** 224
 - Toggle alpha/graphics **PL:** 235
 - Tone generator **PL:** 217
 - Typing aids program **PL:** 271
 - WARNING-You're on your own **PL:** 209
 - System discs **WS II:** 139
 - System File Table **WS I:** 12,21
 - System files **WS I:** 12,21, **WS II:** 167
 - System history **WS I:** 357
 - System key **UG:** 63
 - System Library **WS I:** 8,12,22,277,302, **GT:** 4
 - System Library:
 - Adding modules to it **PL:** 9
 - Building your own **PL:** 18
 - Defined **PL:** 6
 - Volume size considerations **PL:** 8,18
 - When used by Compiler **PL:** 6
 - When used by loader **PL:** 7
 - System time, setting **UG:** 25,204
 - System version **WS I:** 19
 - System volume **UG:** 112,117,135,168,185,228
 - System volume:
 - Bubble cards as **WS II:** 222
 - EPROMs as **WS II:** 232
 - General **WS I:** 12,22,107
 - How chosen **WS II:** 148
 - Purpose of **WS I:** 26
 - Search algorithm **WS II:** 190
 - SRM **WS II:** 209
 - Systems Programming extensions **WS II:** 10,129
 - SYSTEM_P file **WS II:** 140,149,168
 - SYSTEMM volume **UG:** 146
 - System files **WS II:** 139

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System. Vol. I

WS II: Pascal 3.1 Workstation System. Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

t

- TAB key UG: 102
- Tab key UG: 76
- TAB key UG: 90
- TABLE program:
 - BRSTUFF module WS II: 192
 - CTABLE source file WS II: 180
 - CTR module WS II: 191
 - Failures of WS II: 148
 - General WS I: 9, WS II: 138,141
 - Modifying WS II: 179
 - OPTIONS module WS II: 181
 - Renaming WS II: 168
 - SCANSTUFF module WS II: 192
- TABLES (Compiler option) WS I: 209
- Tablets GT: 223
- Talk addresses (HP-IB) PL: 81
- Tape drives:
 - Access methods WS II: 247
 - Backup utility WS II: 248
 - Certify WS II: 252
 - File System access WS II: 253
 - Introduction WS II: 247
 - List of supported devices WS II: 247
 - Media-copy WS II: 250
 - Selective backup WS II: 254
 - Terminology WS II: 248
 - Verify WS II: 251
 - Volume backup WS II: 254
- Target vector GT: 121
- Telephone links (Datacomm) PL: 135
- Temporary files WS II: 104
- Terminal identification (Datacomm) .. PL: 134
- Terminal prompt messages (Datacomm) PL: 140
- Terminating transfers PL: 74
- Terminology PL: 21
- Test program GT: 90,95
- Text GT: 135
- Text files WS II: 99,100,112,113
- Text files:
 - Creating WS I: 50,51
 - Structure of WS I: 70
- Text Record WS I: 302
- Text, writing on graphics screen GT: 15
- THEN WS II: 27
- Tick marks GT: 20,62
- Time, setting system UG: 25,204
- Timeouts PL: 61,65
- Timeouts (Datacomm) PL: 130
- Timers (System devices) PL: 224
- Timing compatibility PL: 24
- Tone generator (System devices) PL: 217
- Total available memory UG: 115
- Touchscreen GT: 223,224
- Tracking the stylus GT: 87
- Transfers:
 - END condition PL: 76
 - Introduction PL: 69
 - Match character PL: 76
 - Overlap PL: 74
 - Serial PL: 72
 - Special PL: 76
 - Termination of PL: 74
 - Word PL: 76
- Translate command UG: 147,254
- Translate command (Filer) WS I: 36,111,153
- TRAP instruction WS I: 213,231
- Trapping errors WS II: 129
- Trig functions WS II: 43
- Trig functions, hyperbolic WS II: 46
- Triggering (HP-IB) PL: 86
- Trimming strings WS II: 79,81
- TRUNC (function) WS II: 42
- Truncating REAL numbers WS II: 47
- TRY WS II: 129, PL: 62
- TRY/RECOVER WS II: 117,135
- TRY/RECOVER blocks PL: 61-63
- Type conversions WS II: 33
- Type-ahead buffer UG: 56,80,93,106
- Typechecking (of VAR parameters) WS II: 28
- Types of files WS II: 94
- Types, data WS II: 15
- Types, determining size of WS II: 19
- Types, numeric WS II: 31
- Typing aids program (System devices) PL: 271

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

u

U.S. ASCII characters **WS I:** 384-5
 U.S./European display characters **WS I:** 386-91
 UART (RS-232 interface) **PL:** 155
 UCSD (Compiler option) **WS I:** 210
 UCSD (compiler option) **WS II:** 132
 UCSD Pascal. **WS II:** 7
 UCSD Unit I/O operations **PL:** 13
 UIO module **WS II:** 12, **PL:** 13
 Unassemble commands (Librarian).....
 WS I: 288-91
 Unblocked devices..... **WS II:** 144
 Unit directory command (Filer) **WS I:** 155
 Unit I/O operations **PL:** 13
 Unit number assignments **UG:** 42,219
 Unit numbers **WS II:** 143
 Unit numbers:
 Defined **WS I:** 25
 General **WS I:** 9,10,12
 How assigned **WS II:** 144
 Standard assignments **WS II:** 143
 Unit Table **WS I:** 9,10,25, **WS II:** 143
 Unit:
 Default unit number..... **UG:** 145
 Description of **UG:** 34
 Flexible disc drives **UG:** 43
 Prefixing to a unit number **UG:** 145
 Relationship to Volumes **UG:** 34
 Unit Number..... **UG:** 218
 Unit number **UG:** 34
 Unit Number **UG:** 39
 Unit number **UG:** 43
 Winchester (hard) discs **UG:** 44
 UNITBUSY (function) **PL:** 13
 UNITCLEAR (procedure)..... **PL:** 13
 UNITREAD (procedure) **PL:** 13
 Units (blocked vs unblocked)..... **WS I:** 25
 UNITWAIT (procedure)..... **PL:** 13
 UNITWRITE (procedure) **PL:** 13
 Unlisten and untalk messages (HP-IB) **PL:** 83
 UNLK instruction..... **WS I:** 214
 Unreported errors **WS I:** 407
 UNTIL **WS II:** 27
 User key **UG:** 63
 User restart command **UG:** 37,113
 User restart Command (Main Level) **WS I:** 18
 User-defined keys..... **UG:** 69

User-defined string functions..... **WS II:** 82
 User-defined symbols **WS I:** 243
 User-designed modules **WS II:** 13
 Using the stack..... **WS I:** 235

v

Value range prompts **UG:** 41,213
 VAR parameters **WS II:** 28
 Variables of type PROCEDURE.... **WS II:** 30
 Variables, absolute address of..... **WS II:** 20
 Variables, declaring numeric **WS II:** 32
 Variables, determining size of **WS II:** 19
 Variables, dynamic..... **WS II:** 125
 Variables, global..... **WS I:** 18,20
 Variables, packed **WS II:** 18
 Variables, static..... **WS II:** 125
 Variables, string **WS II:** 67
 Variables, zeroing..... **WS I:** 18
 Variables:
 Global **WS I:** 13
 Zeroing **WS I:** 13
 Vector, color **GT:** 121
 Verify command (Editor) **WS I:** 99
 Version command **UG:** 115
 Version Command (Main Level).... **WS I:** 19
 Viewport, Defining **GT:** 13
 Viewport, defining..... **GT:** 34
 Virtual coordinates **GT:** 13
 Vision, color..... **GT:** 136
 Vols command..... **UG:** 43,44,146,248
 Volume directory **WS II:** 88
 Volume ID..... **UG:** 33, **WS I:** 29
 Volume:
 Changing a volume name.... **UG:** 142,246
 Compacting free space **UG:** 144,249
 CONSOLE **UG:** 146
 Contents of system volumes **UG:** 262
 Copying Entire **UG:** 242
 Default volume **UG:** 111,145,170,230
 Description of **UG:** 32
 Directory **UG:** 33
 Listing on-line volumes **UG:** 146,248
 Memory **UG:** 116,167,227

UG: Pascal 3.1 User's Guide

WS I: Pascal 3.1 Workstation System, Vol. I

WS II: Pascal 3.1 Workstation System, Vol. II

PL: Pascal 3.0 Procedure Library

GT: Pascal 3.0 Graphics Techniques

On-line **UG:** 146,248
 Prefix volume **UG:** 145
 PRINTER. **UG:** 146
 RAM. **UG:** 116,167,227
 Relationship to Units **UG:** 34
 Removable **UG:** 34
 System volume **UG:** 112,117,135,168,228
 SYSTEM. **UG:** 146
 Volume ID **UG:** 33,39,43,218
 Zeroing. **UG:** 30
 Volumes. **WS II:** 87, **PL:** 8
 Volumes command **UG:** 43,44,146,248
 Volumes command (Filer). . **WS I:** 24,105,157
 Volumes on-line, listing **UG:** 146,248
 Volumes:
 Backing up **WS I:** 113
 Default Volume **WS I:** 26
 Defined **WS I:** 24
 General **WS I:** 24, **WS II:** 143
 Pascal **WS I:** 24
 Prefix Volume **WS I:** 26
 PRINTER. **WS II:** 153
 Renaming **WS I:** 119
 Specification (syntax) **WS I:** 125
 Syntax of identifier. **WS I:** 29
 System Volume **WS I:** 26

W

WARN (Compiler option). **WS I:** 211
 What command **PL:** 6,9, **GT:** 4
 UG: 110,168,228
 What command (Filer) **WS I:** 158
 What Command (Main Level). **WS I:** 21
 Where the buffers low roam. **PL:** 69
 WHILE/DO **WS II:** 27
 Wildcards **WS I:** 37,111
 UG: 142,161,163,196,239,244
 Winchester disc:
 Autostart file **UG:** 174
 Booting from. **UG:** 164
 Copying Pascal system **UG:** 160,224
 Formatting **UG:** 26,216
 Initialization **UG:** 26,216
 Unit number assignments **UG:** 44,220
 Window frame, drawing. **GT:** 37

Window limits, calculating **GT:** 35
 Word **PL:** 27
 Word transfers **PL:** 76
 Words **PL:** 48,56
 Workfile. **WS I:** 121,165
 Workfile:
 Clearing **UG:** 146,238
 Compiling. **UG:** 155,182,190,193
 Creation **UG:** 130,137,235,236
 Decision to use **UG:** 181,182
 Deleting **UG:** 146
 Description of **UG:** 134
 Running a program **UG:** 113,191,194
 Saving. **UG:** 137,182,194,234,237
 Updating in Editor **UG:** 130
 Workfiles. **WS I:** 70
 World coordinates **GT:** 13,232,233
 WRITE (file) **WS II:** 90,109
 WRITE mode (files) **WS II:** 103,105
 Write-protection (flexible discs). **UG:** 15
 WRITEDIR (file) **WS II:** 110
 WRITELN (file). **WS II:** 94
 WRITELN procedure **GT:** 25
 Writing data **PL:** 45
 Writing files **WS II:** 90
 Writing modes. **GT:** 130
 Writing text on graphics screen. **GT:** 15
 Writing to a file **WS II:** 95
 Writing to buffers. **PL:** 71
 WS1.0 file names **WS I:** 33

X

Xchng command UG: 123

Y

Yes/No prompts UG: 41,212

Z

Zap command (Editor) WS I: 102
Zero command UG: 30
Zero command (Filer) WS I: 159
Zeroing a volume UG: 30

MANUAL COMMENT SHEET

Pascal 3.1 Documentation Guide and Master Index
for HP 9000 Series 200/300 Computers

98615-90016

July 1985

Update No. _____

(See the Printing History in the front of the manual)

Name: _____

Company: _____

Address: _____

Phone No: _____

fold

fold

Programming Experience: _____

System Configuration: _____

Comments: _____

fold

fold


BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 37 LOVELAND, COLORADO

POSTAGE WILL BE PAID BY ADDRESSEE

Hewlett-Packard Company
Fort Collins Systems Division
Attn: Customer Documentation
3404 East Harmony Road
Fort Collins, Colorado 80525



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES





Reorder Number
98615-90016
Printed in U.S.A. 7/85



98615-90620
Mfg. No. Only